



??? save/restore command ??? hibernate(S4) - "Suspend to Disk" ???

```
[root@benjr ~]# xm list
Name           ID Mem(MiB) VCPUs State  Time(s)
Domain-0       0  975    4 r----- 1153.6
rhel4.6        4   511    1 -b----- 15.0
rhel5          3   511    1 -b----- 510.6
```

??????? Guest ??? RHEL4.6 / RHEL5 ??? RHEL4.6 ,???? RHEL4.6 ? save ?!!

```
<domain><checkpointfile><domain><checkpointfile><checkpointfile><checkpointfile/></checkpointfile></checkp
~]# xm save
```

Error: 'xm save' requires 2 arguments.

Usage: xm save <Domain> <CheckpointFile>

Save a domain state to restore later.

#xm save ???????? <Domain> ??? ID ??????,<CheckpointFile> ??????????????.????? Guest OS ??????????????.

```
[root@benjr ~]# xm save rhel4.6 rhel4.6.save
```

```
[root@benjr ~]# xm restore
```

Error: 'xm restore' requires 1 arguments.

Usage: xm restore <CheckpointFile>

Restore a domain from a saved state.

#xm restore ???????????? save ?? <CheckpointFile>

```
[root@benjr ~]# xm restore rhel4.6.save
```

????????????????????????????????!!!!

???????? : <http://benjr.tw/?q=node/374>