




????

Front



Back



Basic

ZYCOO

Extension Configuration

Extensions:

- 801 -- User1
- 802 -- User2
- 803 -- User3
- 804 -- User4
- 805 -- User5
- 806 -- User6
- 807 -- User7
- 808 -- User8
- 809 -- User9
- 810 -- User10
- 811 -- User11
- 812 -- User12
- 813 -- User13
- 814 -- User14
- 815 -- User15
- 816 -- User16
- 817 -- User17
- 818 -- User18
- 819 -- User19
- 820 -- User20
- 821 -- User21
- 822 -- User22
- 823 -- User23
- 824 -- User24
- 825 -- User25

Extensions Setting

Extension:
Name:
Password:
Caller ID:
VM Password:
E-mail:
Analog Phone: No Analog lines detected.
Dial Plan: DialPlan1

Advance Options

Voicemail Can Reinvite
 SIP IAX
 Call Waiting 3-Way Calling
 NAT Pickup Group:
DTMFMode:

Codecs Configure

Activate Changes **Logout**

New **Delete** **Save** **Cancel**

ZYCOO

Dial Rules

List of DialPlans:

DialPlan	New	Delete
DialPlan1	New	Delete

List of Dial Rules: **Add a Dial Rule**

S.No	RuleName	Dial Pattern	Call Using	Options
1	Call_PSTN	Begins with 9 and followed by more than 3 digits	Ports 1,2,3,4,5,6	Edit Delete
2	iptel-011	Begins with 011 and followed by more than 0 digits	Custom - iptel	Edit Delete

Activate Changes **Logout**

New **Delete**

The screenshot shows the ZYCOO IPX08 web interface under the 'Trunk' section. The left sidebar includes links for Home, Basic, Extensions, Trunks (which is selected), Outbound Routes, Inbound Control, Advanced, Status, and System. The main content area is titled 'List of Trunk' and displays a table with two entries:

S.No	Trunk	Type	Option
1	Ports 1,2,3,4,5,6	Analog	Options ▾
2	Custom - Iptel	Custom VoIP	Options ▾

Below the table is a blue button labeled 'Add a Trunk'. At the top right are 'Activate Changes' and 'Logout' buttons. A note at the bottom states: 'Password: The password for the user's sip/lax account , Ex: "12u0b6"'.

Inbound Control

The screenshot shows the ZYCOO IPX08 web interface under the 'Inbound Control' section. The left sidebar includes links for Home, Basic, Inbound Control (selected), Inbound Routes, IVR, IVR Prompts, Ring Groups, Advanced, Status, and System. The main content area is titled 'Incoming Calls' and displays a table titled 'List of Incoming Call Rules' with two entries:

S.No	Incoming Rule	Options
1	Route all unmatched incoming calls from provider 'Ports 1,2,3,4,5,6' to 'TimeRule -- Time Based Rule'	Edit Delete
2	Route all unmatched incoming calls from provider 'Custom - Iptel' to 'Working time -- N/R Menu'	Edit Delete

Below the table is a blue button labeled 'Add an Incoming Rule'. At the top right are 'Activate Changes' and 'Logout' buttons. A note at the bottom states: 'Password: The password for the user's sip/lax account , Ex: "12u0b6"'.

IVR

IVR Setting

Name: working time Extension:

Activate Changes Logout
Password: The password for the user's sip/lax account , Ex: "12u0b6"

Welcome Message
Please Select welcome
 Dial other Extensions?

Keypress' Events

Key	Action
0	Goto Extension <input type="text"/> 801 <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
1	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
2	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
3	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
4	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
5	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
6	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>
7	Disabled <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="..."/>

New Delete Save Cancel

Record Voices For Custom IVR

Activate Changes Logout
Name: A name for the IVR.

List of Recorded voices

S.No	Name	Options
1	closed.gsm	<input type="button" value="Record Again"/> <input type="button" value="Play"/> <input type="button" value="Delete"/>
2	welcome.gsm	<input type="button" value="Record Again"/> <input type="button" value="Play"/> <input type="button" value="Delete"/>

Record a new voice

The screenshot shows the ZYCOO IPX08 web-based management interface. The left sidebar contains navigation links: Home, Basic, Inbound Control, Inbound Routes, IVR, IVR Prompts, Ring Groups (which is the active tab), Advanced, Status, and System. The main area is titled "Ring Groups" and displays a "Add Ring Group" dialog box. The dialog box has fields for "Name:" (containing "Ring Group 1") and "Strategy:" (set to "Ring all"). A list of "Available Channels" on the right includes SIP/001 - User1 through SIP/008 - User8. Below these lists are sections for "Ring Group Members" and "Available Channels". Under "Ring Group Members", there are fields for "Extension for this ring group(Option)" and "Ring (each/all) for these many seconds". Under "Available Channels", there are fields for "Extension for this ring group(Option)" and "Ring (each/all) for these many seconds". At the bottom of the dialog box are "Save" and "Cancel" buttons.

???????????