



?????

- CentOS 5.4
- Asterisk-1.4.21.2
- FreePBX-2.6.0.1
- Sendmail-8.13.8-2.el5

????

```
// ?? ssmtp ??  
// ???http://wiki.centos.org/AdditionalRes...t=Repositories
```

```
wget http://download.fedoraproject.org/pub/epel/5/i386/epel-release-5-4.noarch.rpm  
rpm -ivh epel-release-5-4.noarch.rpm
```

```
yum install ssmtp  
vi /etc/ssmtp/ssmtp.conf
```

```
# Get enhanced (*really* enhanced) debugging information in the logs  
# If you want to have debugging of the config file parsing, move this option  
# to the top of the config file and uncomment  
#Debug=YES
```

```
# For SMTP relay with gmail server
```

```
#root=postmaster  
#AuthUser=myname@gmail.com  
#AuthPass=password  
#FromLineOverride=YES  
#mailhub=smtp.gmail.com:587  
#UseSTARTTLS=YES
```

```
# For SMTP server
```

```
MailHub=your.smtp.server:5525      # SMTP server hostname and port  
#UseTLS=YES          # Secure connection (SSL/TLS)  
FromLineOverride=YES      # Force the From: line  
Hostname=pbx.my.domain      # The name of this host  
RewriteDomain=my.domain      # The host the mail appears to be coming from  
Root=postmaster      # Redirect mail for root@ to postmaster@  
AuthUser=user@your.smtp.server  # Your SMTP server mail account  
AuthPass=password      # Your SMTP server mail password  
AuthMethod=CRAM-MD5
```

?????? Hinet ?????

```
MailHub=msr.hinet.net:25  
FromLineOverride=NO  
Hostname=msa.hinet.net  
root=<username>
```

AuthUser=<username>>

AuthPass=<password>

AuthMethod=LOGIN

// ?? sendmail ??? ssmtp ??

```
service sendmail stop
chkconfig sendmail off
cd /usr/sbin
mv sendmail sendmail.orig
ln -s /usr/sbin/ssmtp /usr/sbin/sendmail
```

// ?????

mail -s "this is a test mail" your@yahoo.com.tw

?? . <Enter>

Cc: <Enter>

FAQ

?? mail ??????????????????????

Ans: ?? /etc/asterisk/vm_general.inc

serveremail=vm@your.domain.name

????? <http://www.elastix.org/en/component/...lastix-20.html>

???? sender ???

Ans: ?? /etc/ssmtp/ssmtp.conf

FromLineOverride=NO

root=win.mis03

?? /etc/ssmtp/revaliases

root:win.mis03@msa.hinet.net

TIPs:

?????? root ???????? www-data ???????? root ?? www-data

????

- [How To Use Gmail Account To Relay Email From a Shell Prompt](#)
- ?????? - mssmtp
? <http://sourceforge.net/projects/msmtp/files/msmtp/>

- ? <http://code.google.com/p/google-gadgets-SMPTQuickStart>
- ? <http://www.wilf.cn/post/centos-mutt-msmtp-setup.html>

- sendEmail

- ? <http://caspian.dotconf.net/menu/Software/SendEmail/>
- ? <http://my.oschina.net/u/615185/blog/69699>