

?? 1????????? call_limit?

VOIP Settings ????? SIP/ IAX ?????????????????? additional_a2billing_sip.conf ?????
 ?????????????????? SIP/IAX ??????????????????

1. ??? Table cc_sip_buddies ?????????????????? call_limit?

```
mysql> ALTER TABLE cc_sip_buddies ADD call_limit;
```

2. ?? /var/www/html/A2Billing_UI/Public/form_data/FG_var_friend.inc
 ??? call_limit ???

```
getpost_ifset(array('defaultuser', 'subscribemwi', 'vmexten', 'cid_number', 'callingpres', 'usereqphone',
'incominglimit', 'subscribecontext', 'musicclass', 'mohsuggest',
'allowtransfer', 'autoframing', 'maxcallbitrate', 'outboundproxy', 'regserver', 'rtpkeepalive', 'call_limit',
'dbsecret', 'regcontext', 'sourceaddress', 'mohinterpret', 'mohsuggest',
'inkeys', 'outkey', 'sendani', 'fullname', 'maxauthreq', 'encryption', 'transfer', 'jitterbuffer',
'forcejitterbuffer', 'codecpriority', 'qualifysmoothing',
'qualifyfreqok', 'qualifyfreqnotok', 'timezone', 'adsi'));
```

????????????????????????????????

```
$HD_Form -> AddEditElement (gettext("CALL-LIMIT"),
    "call_limit",
    "
    "INPUT",
    "size=10 maxlength=10",
    "",
    "",
    "",
    "", "" , "" , "" , "" , "" , "" , "" , "" );
```

?? IF ?????????? SIP????? IAX

```
if ($atmenu=='sip') {
    $field_list_edit .= ' , username, md5secret, nat, dtmfmode, canreinvite, callgroup, fromuser,
    fromdomain, insecure, mailbox, mask, pickupgroup, restrictcid, rtptimeout, rtpholdtimeout, ' .
    'musiconhold, cancellforward, defaultuser, subscribemwi, vmexten, callingpres,
    usereqphone, incominglimit, subscribecontext, musicclass, mohsuggest, allowtransfer, ' .
    'autoframing, maxcallbitrate, outboundproxy, regserver, rtpkeepalive, call_limit';
} else {
    $field_list_edit .= ' , trunk, dbsecret , regcontext , sourceaddress , mohinterpret , mohsuggest , inkeys ,
    outkey , sendani , fullname , maxauthreq , encryption , transfer , jitterbuffer , ' .
    'forcejitterbuffer , codecpriority , qualifysmoothing , qualifyfreqok , qualifyfreqnotok ,
    timezone , adsi, requirecalltoken, maxcallnumbers, maxcallnumbers_nonvalidated';
}
```

3. ?? /var/www/html/A2Billing_UI/lib/Class.Realtime.php
 ??? call_limit ???

```
$this -> FG_QUERY_ADITION_SIP = 'name, accountcode, regexten, amaflags, callgroup, callerid,
canreinvite, context, DEFAULTTip, dtmfmode, fromuser, fromdomain, host, insecure, language, ' .
    'mailbox, md5secret, nat, deny, permit, mask, pickupgroup, port, qualify, restrictcid,
rtptimeout, rtpholdtimeout, secret, type, username, disallow, allow, musiconhold, regseconds, ' .
    'ipaddr, cancellforward, fullcontact, setvar, lastms, regserver, defaultuser, auth,
subscribemwi, vmexten, cid_number, callingpres, usereqphone, incominglimit, subscribecontext, ' .
    'musicclass, mohsuggest, allowtransfer, autoframing, maxcallbitrate, outboundproxy,
rtpkeepalive, call_limit';
```

```
$this -> FG_QUERY_ADITION_IAX = 'name, accountcode, regexten, amaflags, callerid, context,
DEFAULTTip, host, language, mask, port, qualify, secret, username, disallow, allow, regseconds, ' .
    'ipaddr, trunk, dbsecret, regcontext, sourceaddress, mohinterpret, mohsuggest, inkeys,
outkey, cid_number, sendani, fullname, auth, maxauthreq, encryption, transfer, jitterbuffer, ' .
    'forcejitterbuffer, codecpriority, qualifysmoothing, qualifyfreqok, qualifyfreqnotok,
timezone, adsi, setvar, type, deny, permit, requirecalltoken, maxcallnumbers, ' .
    'maxcallnumbers_nonvalidated';
```

NOTE:

? ?????????? dash??? MySQL ??????????

call-limit ?????

?? SIP ??????(username)? 1234567

?? /etc/asterisk/sip_custom_post.conf

[1234567](+)

call-limit=5

?? reload asterisk?