

CentOS 5 SOURCE RPM PHP?

????

- CentOS 5.5 32bit
- PHP 5.1.6 (????)

SRPM

PHP 5.3 SOURCE RPM

// source rpm

<http://oss.oracle.com/projects/php/d...-1.el5.src.rpm>

//

```
yum install bzip2-devel curl-devel db4-devel expat-devel gmp-devel aspell-devel httpd-devel libjpeg-devel  
libpng-devel pam-devel openssl-devel sqlite-devel libtool krb5-devel libc-client-devel cyrus-sasl-devel  
openldap-devel mysql-devel postgresql-devel unixODBC-devel net-snmp-devel libxslt-devel gd-devel  
freetype-devel
```

//

```
cd /usr/src/redhat/SRPMs
```

```
rpmbuild --rebuild php53-5.3.5-1.el5.src.rpm
```

----- Intel Celeron 1GHz rpm

```
# ls /usr/src/redhat/RPMS/i386/php53*
```

```
/usr/src/redhat/RPMS/i386/php53-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-bcmath-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-cli-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-common-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-dba-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-devel-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-gd-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-ldap-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-ldap-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-mbstring-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-mysql-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-odbc-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-pdo-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-pgsql-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-snmp-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-soap-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-xml-5.3.5-1.i386.rpm  
/usr/src/redhat/RPMS/i386/php53-xmlrpc-5.3.5-1.i386.rpm
```

Tips:

Linux OS 64 Oracle RPM

PHP53

// httpd php

```
# service httpd stop
# service mysqld stop
```

```
# rpm -qa | grep php
php-cli-5.1.6-27.el5_5.3
php-5.1.6-27.el5_5.3
php-pdo-5.1.6-27.el5_5.3
php-mysql-5.1.6-27.el5_5.3
php-imap-5.1.6-27.el5_5.3
php-common-5.1.6-27.el5_5.3
php-gd-5.1.6-27.el5_5.3
php-ldap-5.1.6-27.el5_5.3
```

```
# cd /usr/src/redhat/RPMS/i386/
# rpm -ivh php53*.rpm
# service mysqld start
# service httpd start
```

?????

**FAQ**

????? autoconf 2.59-12?????????????You need autoconf version 2.13 or newer installed?

Ans: ??? PHP ?????????????? autoconf213 ??????????

```
# yum install autoconf213
```

Then before you build set the environment variable to tell the build process which autoconf to use

```
# export PHP_AUTOCONF="/usr/bin/autoconf-2.13"
```

phpinfo() for PHP 5.3



????? yum ??

?????CentOS 5.8

?? remi ????????

PHP 5.3.x)

wget http://mirror01.idc.hinet.net/EPEL/5/i386/epel-release-5-4.noarch.rpm

wget http://rpms.famillecollet.com/enterprise/remi-release-5.rpm

rpm -Uvh remi-release-5\*.rpm epel-release-5\*.rpm

yum --enablerepo=remi update php

??

?? [Utter Rambling](#) ?????

PHP 5.2.x)

?? /etc/yum.repos.d/uterramblings.repo

[uterramblings]

```
name=Jason's Utter Ramblings Repo
baseurl=http://www.jasonlitka.com/media/EL$releasever/$basearch/
enabled=0
gpgcheck=1
gpgkey=http://www.jasonlitka.com/media/RPM-GPG-KEY-jlitka
```

yum ??

```
yum --enablerepo=uterramblings update php
```