

Linux OS 64 Oracle RPM

PHP53

// httpd php

```
# service httpd stop
# service mysqld stop
```

```
# rpm -qa | grep php
php-cli-5.1.6-27.el5_5.3
php-5.1.6-27.el5_5.3
php-pdo-5.1.6-27.el5_5.3
php-mysql-5.1.6-27.el5_5.3
php-imap-5.1.6-27.el5_5.3
php-common-5.1.6-27.el5_5.3
php-gd-5.1.6-27.el5_5.3
php-ldap-5.1.6-27.el5_5.3
```

```
# cd /usr/src/redhat/RPMS/i386/
# rpm -ivh php53*.rpm
# service mysqld start
# service httpd start
```

?????

FAQ

????? autoconf 2.59-12?????????????You need autoconf version 2.13 or newer installed?

Ans: ??? PHP ?????????????? autoconf213 ??????????

```
# yum install autoconf213
```

Then before you build set the environment variable to tell the build process which autoconf to use

```
# export PHP_AUTOCONF="/usr/bin/autoconf-2.13"
```

phpinfo() for PHP 5.3


```
name=Jason's Utter Ramblings Repo  
baseurl=http://www.jasonlitka.com/media/EL$releasever/$basearch/  
enabled=0  
gpgcheck=1  
gpgkey=http://www.jasonlitka.com/media/RPM-GPG-KEY-jlitka
```

yum ??

```
yum --enablerepo=uterramblings update php
```