

# Pfsense ?????


?????????admin ?????? ?????? DNS server ????

1????????????????Pfsense web ????

(????????admin ???admin) (Updated by alang??? 2.0.1 ???? pfsense)



2????????????????pfsense????????????????????



3????????????? [System: General Setup](#)? ??????DNS - server ?admin?????????????????WebGUI protocol ??????

???????save????

**System: General Setup**

<b>Hostname</b>	<input type="text" value="pfSense"/> <span style="color: red;">输入主机名</span> <small>name of the firewall host, without domain part e.g. <i>firewall</i></small>
<b>Domain</b>	<input type="text" value="local"/> <span style="color: red;">输入域名</span> <small>e.g. <i>mycorp.com</i></small>
<b>DNS servers</b>	<div style="text-align: right; color: red;">输入 DNS 地址</div> <input type="text" value="168.95.1.1"/> <input type="text" value="211.148.192.135"/> <small>IP addresses; these are also used for the DHCP service, DNS forwarder and for PPTP VPN clients</small> <input checked="" type="checkbox"/> <b>Allow DNS server list to be overridden by DHCP/PPP on WAN</b> <small>If this option is set, pfSense will use DNS servers assigned by a DHCP/PPP server on WAN for its own purposes (including the DNS forwarder). They will not be assigned to DHCP and PPTP VPN clients, though.</small>
<b>Username</b>	<input type="text" value="admin"/> <small>If you want to change the username for accessing the webGUI, enter it here.</small>
<b>Password</b>	<input type="password" value="*****"/> <input type="password" value="*****"/> <span style="color: red;">此处修改 admin 密码</span> <small>(confirmation)</small> <small>If you want to change the password for accessing the webGUI, enter it here twice.</small>