

```
/**
 * Search Paging Control
 *
 * @param uri $uri - base uri (default: page.uri)
 * @param map $params - query params to preserve
 * @param num $total - total number of results queried
 * @param num $perPage - number of results shown per page (default: 10)
 * @param str $key - query param to use for paging (default: "page")
 * @param num $page - current page being viewed (default: __request.args[$key])
 * @param str $showingKey - custom resource key to use for "showing results"
 */
var uri = $uri ?? page.uri;
var params = $params; // required!
var total = $total; // required!
var perPage = $perPage ?? 10;
var pageKey = $key ?? "page";
var currentPage = $page ?? __request.args[pageKey];
var localizeShowing = $showingKey ?? "MindTouch.Reports.paging.results";

// compute paging
if (!currentPage || currentPage < 1) {
    let currentPage = 1;
}
var totalPages = num.ceiling(total / perPage);
if (totalPages < 1) {
    let totalPages = 1;
}
var setStart = (currentPage - 1) * perPage;
var setEnd = num.min(setStart + perPage, total);

<form class="mt-search-paging" .. (total < 1 ? " ui-no-results": "")> method="get" action=(uri)>
    foreach (var paramName:paramValue in params) {
        <input type="hidden" name=(paramName) value=(paramValue) />
    }
    <div class="summary">
        if (total < 1) {
            wiki.localize("MindTouch.Reports.paging.noresults");
        } else {
            wiki.localize(localizeShowing, [
                (setStart+1),
                setEnd
            ]);
        }
    </div>
    <div class="paging">
        if (currentPage > 1) {
            <span class="prev">
                <a href=(uri & params & {(pageKey): (currentPage-1)})>
                    wiki.localize("MindTouch.Reports.paging.prev");
                </a>
            </span>
        }
        <span class="next">
            <a href=(uri & params & {(pageKey): (currentPage+1)})>
                wiki.localize("MindTouch.Reports.paging.next");
            </a>
        </span>
    </div>
</form>
```

```
</a>
</span>
} else {
    <span class="prev ui-state-disabled">wiki.localize("MindTouch.Reports.paging.prev")</span>
}

<span class="jump">wiki.localize("MindTouch.Reports.paging.jump")</span>
<input class="jump" type="text" name=(pageKey) value=(currentPage) size="2" />

if (currentPage < totalPages) {
    <span class="next">
        <a href=(uri & params & {(pageKey): (currentPage+1)})>
            wiki.localize("MindTouch.Reports.paging.next");
        </a>
    </span>
} else {
    <span class="next ui-state-disabled">wiki.localize("MindTouch.Reports.paging.next")</span>
}
</div>
</form>
```