

```
/**  
 * Search Paging Control  
 *  
 * @param uri $uri - base uri (default: page.uri)  
 * @param map $params - query params to preserve  
 * @param num $showing - number of visible results  
 * @param bool $next - are there more results?  
 * @param num $perPage - number of results shown per page (default: 10)  
 * @param str $key - query param to use for paging (default: "page")  
 * @param num $page - current page being viewed (default: __request.args[$key])  
 * @param str $showingKey - custom resource key to use for "showing results"  
 */  
var uri = $uri ?? page.uri;  
var params = $params; // required!  
var showing = $showing; // required!  
var nextPage = $next ?? false;  
var perPage = $perPage ?? 10;  
var pageKey = $key ?? "page";  
var currentPage = $page ?? __request.args[pageKey];  
var localizeShowing = $showingKey ?? "MindTouch.Reports.paging.results";  
  
// compute paging  
if (!currentPage || currentPage < 1) {  
    let currentPage = 1;  
}  
  
var setStart = (currentPage - 1) * perPage;  
var setEnd = setStart + showing;  
  
<form class="mt-search-paging" method="get" action=(uri)>  
    foreach (var paramName:paramValue in params where paramName != pageKey) {  
        <input type="hidden" name=(paramName) value=(paramValue) />  
    }  
    <div class="summary">  
        if (showing < 1) {  
            wiki.localize("MindTouch.Reports.paging.noresults");  
        } else {  
            wiki.localize(localizeShowing, [  
                (setStart+1),  
                setEnd  
            ]);  
        }  
    </div>  
    <div class="paging">  
        if (currentPage > 1) {  
            <span class="prev">  
                <a href=( uri & (params .. {{(pageKey):(currentPage - 1)}} ) )>  
                    wiki.localize("MindTouch.Reports.paging.prev");  
                </a>  
        }
```

```
</span>
} else {
    <span class="prev ui-state-disabled">wiki.localize("MindTouch.Reports.paging.prev")</span>
}

<span class="jump">wiki.localize("MindTouch.Reports.paging.jump")</span>
<input class="jump" type="text" name=(pageKey) value=(currentPage) size="2" />

if (nextPage) {
    <span class="next">
        <a href=( uri & (params .. {{pageKey}: (currentPage + 1)})) >
            wiki.localize("MindTouch.Reports.paging.next");
        </a>
    </span>
} else {
    <span class="next ui-state-disabled">wiki.localize("MindTouch.Reports.paging.next")</span>
}
</div>
</form>
```