



???????????????? New Lead ?????????? New Lead ?????? Admin ?????????????? Lead ?????? User?????????????
 ?????????????? New Lead ?????? Round-Robin ????? Lead ?????????? User?
 ??????

1. ?????????????? New Lead ?? lmb.php????????????????? User Name?
 ? lmb.php
 ? functions.autoassign.php
2. ? VtigerCRM ?????????????????????? User ????? Turn ON/OFF Lead?
 ? ???/vtigercrm/Smarty/templates/Buttons_List.tpl
 ? ???/vtigercrm/Smarty/templates/Header.tpl
 ? ???/vtigercrm/themes/softed/style.css
 ? ???/vtigercrm/modules/Leads/TurnOnLeads.php
3. ????? Table: vtiger_users_auto_assign??????? User ????? Lead ??????????

?????

lmb.php?

```
require_once('functions.autoassign.php');
...
...
$UNAME = get_assigned_username();
if (empty($UNAME)) {
    // in case of null, set username as bill, basically that won't happen.
    $UNAME = "bill";
}
// The below are what you want to do
echo "$UNAME\n";
...
...
```

functions.autoassign.php?

reference to undefined name 'syntax' Exception of type
 'MindTouch.Deki.Script.Runtime.DekiScriptUndefinedNameException' was thrown. (click for details)

Buttons_Listtpl?

```
<!-- All Menu -->
<table border=0 cellspacing=0 cellpadding=5>
<tr>
    <td style="padding-left:10px;"><a href="javascript:;"
onmouseout="fninvsh('allMenu');" onClick="fnvshobj(this,'allMenu')"></a></td>
    {if $CHECK.moduleSettings eq 'yes'}
    <td style="padding-left:10px;"><a
href='index.php?module=Settings&action=ModuleManager&module_settings=true&formodule={ $MODULE }&paren
src="{ $settingsBox.png }|@vtiger_imageurl:$THEME}' alt="{ $MODULE|getTranslatedString:$MODULE }
{ $APP.LBL_SETTINGS }" title="{ $MODULE|getTranslatedString:$MODULE } { $APP.LBL_SETTINGS }"
```

```
border="0"></a></td>
    {/if}
    <!-- written by alang: for Leads auto-assign -->
    <td style="padding-right:10px"><a href="javascript:void(0);"
onClick="turnon_leads(this);">
    </td>
    <!-- End: written by alang: for Leads auto-assign -->
</tr>
</table>
```

Header.tpl?

```
</script>
<div class="lvtCol fixedLay1" id="vtigerNewsPopupLay" style="display: none; height: 250px; bottom: 2px;
padding: 2px; z-index: 12; font-weight: normal;" align="left">
</div>
```

```
<!-- Turn On Leads, written by alang -->
<script type="text/javascript">
{literal}
function turnon_leads(obj) {
    $('status').style.display = 'inline';
    new Ajax.Request(
        'index.php',
        {queue: {position: 'end', scope: 'command'},
        method: 'post',
        postBody: 'module=Leads&action=LeadsAjax&file=TurnOnLeads&mode=ajax&ajax=true',
        onComplete: function(response) {
            $("turnonLeadsPopupLay").innerHTML=response.responseText;
            fnvshobj(obj, 'turnonLeadsPopupLay');
            $('status').style.display = 'none';
        }
    }
};

}
{/literal}
</script>
<div class="lvtCol fixedLay1" id="turnonLeadsPopupLay" onmouseout="fninvsh('turnonLeadsPopupLay');"
onMouseOver="fnvshNrm('turnonLeadsPopupLay');" style="z-index:
10000001;display:none;position:absolute;">
</div>
<!-- End: Turn On Leads, written by alang -->

<!-- END -->
```

style.css?

reference to undefined name 'syntax' Exception of type 'MindTouch.Deki.Script.Runtime.DekiScriptUndefinedNameException' was thrown. (click for details)

TurnOnLeads.php?

reference to undefined name 'syntax' Exception of type 'MindTouch.Deki.Script.Runtime.DekiScriptUndefinedNameException' was thrown. (click for details)

Table: vtiger_users_auto_assign

reference to undefined name 'syntax' Exception of type 'MindTouch.Deki.Script.Runtime.DekiScriptUndefinedNameException' was thrown. (click for details)

????

