

????

- Ubuntu 11
- Zabbix 1.8.8

????

(<http://www.zabbix.com/wiki/howto/ins.../ubuntuinstall>)

?????????

```
apt-get install build-essential mysql-server libmysqlclient-dev php5 php5-gd php5-mysql snmp  
libsnmp-dev snmpd libcurl4-openssl-dev fping
```

??

?? mysql-server ??????????????????

???? zabbix server

?? zabbix ???

```
addgroup --system admin  
adduser --system --ingroup admin zabbix
```

?????? <http://www.zabbix.com/download.php>

```
cd /usr/src  
wget http://prdownloads.sourceforge.net/zabbix/zabbix-1.8.8.tar.gz?download  
mv "zabbix-1.8.8.tar.gz?download" zabbix-1.8.8.tar.gz  
tar xzpf zabbix-1.8.8.tar.gz
```

?? zabbix ???

```
mysql -uroot -p  
mysql> create database zabbix;  
mysql> grant all privileges on zabbix.* to zabbix@localhost identified by 'enter-password-here';  
mysql> quit
```

```
mysql -D zabbix -uzabbix -p < /usr/src/zabbix-1.8.8/create/schema/mysql.sql  
mysql -D zabbix -uzabbix -p < /usr/src/zabbix-1.8.8/create/data/data.sql  
mysql -D zabbix -uzabbix -p < /usr/src/zabbix-1.8.8/create/data/images_mysql.sql
```

?? zabbix ???

```
cd /usr/src/zabbix-1.8.8  
.configure --prefix=/usr --with-mysql --with-net-snmp --with-libcurl --enable-server --enable-agent &&  
make
```

make install

?????

```
mkdir /etc/zabbix
cp misc/conf/zabbix_*.conf /etc/zabbix/
chown -R zabbix.admin /etc/zabbix/
```

?? /etc/zabbix/zabbix\_agentd.conf?

```
Server=127.0.0.1
LogFile=/var/log/zabbix_agentd.log
PidFile=/var/run/zabbix/zabbix_agentd.pid
```

?? /etc/zabbix/zabbix\_server.conf?

```
LogFile=/var/log/zabbix_server.log
PidFile=/var/run/zabbix/zabbix_server.pid
DBName=zabbix
DBUser=zabbix
DBPassword=<db_password>
```

?????

```
cp misc/init.d/debian/zabbix-server /etc/init.d
cp misc/init.d/debian/zabbix-agent /etc/init.d
```

?? /etc/init.d/zabbix-server?

DAEMON=/usr/sbin/\${NAME}

?? /etc/init.d/zabbix-agent?

DAEMON=/usr/sbin/\${NAME}

```
touch /var/log/zabbix_server.log
touch /var/log/zabbix_agentd.log
chown zabbix.admin /var/log/zabbix_server.log
chown zabbix.admin /var/log/zabbix_agentd.log
mkdir /var/run/zabbix
chown zabbix.admin /var/run/zabbix
```

```
chmod 755 /etc/init.d/zabbix-server
update-rc.d zabbix-server defaults
chmod 755 /etc/init.d/zabbix-agent
update-rc.d zabbix-agent defaults
```

????

```
service zabbix-server start
service zabbix-agent start
```

?????????

```
mkdir /var/www/zabbix
cp -R frontends/php/* /var/www/zabbix/
```

?? apache2  
?? /etc/apache2/sites-enabled/000-default?

```
<VirtualHost *:80>
...
<Directory "/var/www/zabbix/">
    AllowOverride FileInfo AuthConfig Limit Indexes
    Options MultiViews Indexes SymLinksIfOwnerMatch IncludesNoExec
    <Limit GET POST OPTIONS PROPFIND>
        Order allow,deny
        Allow from all
    </Limit>
    <LimitExcept GET POST OPTIONS PROPFIND>
        Order deny,allow
        Deny from all
    </LimitExcept>
</Directory>
</VirtualHost>
```

?? /etc/php5/apache2/php.ini?

```
max_execution_time = 300 ; Maximum execution time of each script, in seconds
max_input_time = 300
date.timezone = Asia/Taipei
```

????????? <http://us3.php.net/manual/en/timezones.php>

?? apache2 ??

```
service apache2 stop
service apache2 start
```

???????????

????????? http://<????>/zabbix/???????????

???

- ? 3. Check of pre-requisites ??????? Fail?????? php.ini ??????????? apache2????????? retry?

- ? 7.Install ???????????? /var/www/zabbix/conf ??? 0777????????? retry?  
????????????? 0755?

?????

?????? http://<??>/zabbix/?????admin / zabbix?