

```
using System;
using System.ComponentModel;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Data;
using System.Data.Common;
using WA_EmsgSMS.bin;
using WA_EmsgSMS.bin.Database.Entity;

namespace WA_EmsgSMS.bin.Database
{
    public class DALtoMgntUrlMappings:DALtoDBObject<EntityMgntUrlMapping>
    {
        private const string ITEM_SEPERATOR_SYMBOL = "+";
        private const string DB_DATETIME_FORMAT_STRING = "yyyy/MM/dd hh:mm:ss";

        private DbProviderFactory _dbProvider;
        private DbConnection _dbConnection;
        private DbCommand _dbCommand;

        public DALtoMgntUrlMappings() {
            Initialize();
        }

        protected override void Initialize()
        {
            _dbProvider = DbProviderFactories.GetFactory(AppResource.GLOBAL_DB_PROVIDER_NAME);
            _dbConnection = _dbProvider.CreateConnection();
            _dbCommand = _dbProvider.CreateCommand();
        }

        [DataObjectMethod(DataObjectMethodType.Select,true)]
        public override IList<EntityMgntUrlMapping> GetResultSet()
        {
            IList<EntityMgntUrlMapping> resultSet = new List<EntityMgntUrlMapping>();
            DbDataAdapter dbDataAdapter = _dbProvider.CreateDataAdapter();
            DataTable dataTable = new DataTable();
            string commandText;

            _dbConnection.ConnectionString = AppResource.GLOBAL_CONN_STRING;
            _dbCommand.Connection = _dbConnection;

            commandText = "SELECT * FROM sys_MgntUrlMappings ";

            _dbCommand.CommandText = commandText;

            dbDataAdapter.SelectCommand = _dbCommand;
        }
    }
}
```

```

dbDataAdapter.Fill(dataTable);

bool hookFlag = false;
hookFlag = dataTable.Rows.Count > 0 ? true : false;

if (hookFlag)
{
    DataRow[] dataRows = dataTable.Select("parentId=0");
    hookFlag = dataRows.Count() > 0 ? true : false;

    if (hookFlag)
    {
        EntityMgntUrlMapping entity;

        DataRow dataRow = dataRows[0];
        entity = MapDataRowToObject(dataRow);
        string parentId = entity.Id.ToString();
        int level = 1;

        resultSet.Add(entity);
        GenerateChildEntity(resultSet, dataTable, parentId, level);
    } //end if
} //end if
return resultSet;
} //end method: GetResultSet

[DataObjectMethod(DataObjectMethodType.Select,false)]
public IList<EntityMgntUrlMapping> GetResultSet(int? id)
{
    IList<EntityMgntUrlMapping> resultSet = new List<EntityMgntUrlMapping>();
    DbDataAdapter dbDataAdapter = _dbProvider.CreateDataAdapter();
    DataTable dataTable = new DataTable();
    string commandText;

    _dbConnection.ConnectionString = AppResource.GLOBAL_CONN_STRING;
    _dbCommand.Connection = _dbConnection;

    commandText = "SELECT * FROM sys_MgntUrlMappings WHERE id={0}";
    _dbCommand.CommandText = string.Format(commandText, id.Value.ToString());

    dbDataAdapter.SelectCommand = _dbCommand;
    dbDataAdapter.Fill(dataTable);

    bool hookFlag = false;
    hookFlag = dataTable.Rows.Count > 0 ? true : false;

    if (hookFlag) {
        DataRow dataRow = dataTable.Rows[0];
        EntityMgntUrlMapping entity = MapDataRowToObject(dataRow);

```

```

        resultSet.Add(entity);
    }

    return resultSet;
}

[DataObjectMethod(DataObjectMethodType.Insert,true)]
public override int InsertSingleEntity(EntityMgntUrlMapping entity)
{
    string parentId;
    string applicationId;
    string text = entity.Text;
    string value = entity.Value;
    string imgUrl = entity.ImgUrl;
    string url = entity.Url;
    string type = entity.Type;
    string sort = Convert.ToString(entity.Sort);
    string visible = entity.Visible == true ? "1" : "0";
    string unlock;
    string errorUrl = entity.ErrorUrl;
    string createdAt;

    if (entity.ParentId.HasValue)
        parentId = Convert.ToString(entity.ParentId.Value);
    else parentId = "0";

    if (entity.ApplicationId.HasValue)
        applicationId = entity.ApplicationId.Value.ToString();
    else applicationId = AppResource.GetCurrentApplicationId();

    if (entity.Unlock.HasValue)
        unlock = entity.Unlock == true ? "1" : "0";
    else unlock = "1";

    if (entity.CreatedDate.HasValue)
        createdAt = entity.CreatedDate.Value.ToString(DB_DATETIME_FORMAT_STRING);
    else createdAt = DateTime.Now.ToString(DB_DATETIME_FORMAT_STRING);

    string commandText;
    commandText = "INSERT INTO
sys_MgntUrlMappings(parentId,applicationId,text,value,imgUrl,url,type,sort,visible,unlock,errorUrl,createdAt)
" +
        "VALUES({0},{1},{2},{3},{4},{5},{6},{7},{8},{9},{10},{11})";

    _dbConnection.ConnectionString = AppResource.GLOBAL_CONN_STRING;
    _dbCommand.Connection = _dbConnection;
    _dbCommand.CommandText =
        string.Format(commandText, parentId, applicationId, text, value, imgUrl, url, type, sort, visible,

```

```

unlock, errorUrl, createDate);

    int affectedCount = 0;

    try
    {
        _dbConnection.Open();
        affectedCount = _dbCommand.ExecuteNonQuery();
    }
    catch (Exception ex)
    {

        throw ex;
    }
    finally {

        _dbConnection.Close();

    }
}
}

} //end try catch
return affectedCount;
} //end method: InsertSingleEntity

[DataObjectMethod(DataObjectMethodType.Update,true)]
public override int UpdateSingleEntity(EntityMgntUrlMapping entity)
{
    string id = Convert.ToString(entity.Id);
    string parentId = Convert.ToString(entity.ParentId);
    string text = entity.Text;
    string value = entity.Value;
    string imgUrl = entity.ImgUrl;
    string url = entity.Url;
    string type = entity.Type;
    string sort = Convert.ToString(entity.Sort);
    string visible = entity.Visible == true ? "1" : "0";
    string errorUrl = entity.ErrorUrl;

    string commandText;
    commandText = "UPDATE sys_MgntUrlMappings " +
        "SET
parentId={0},text='{1}',value='{2}',imgUrl='{3}',url='{4}',type='{5}',sort={6},visible={7},errorUrl='{8}' " +
        "WHERE id={9}";

    _dbConnection.ConnectionString = AppResource.GLOBAL_CONN_STRING;
    _dbCommand.Connection = _dbConnection;
    _dbCommand.CommandText = string.Format(commandText, parentId, text, value, imgUrl, url, type,
sort, visible, errorUrl, id);

    int affectedCount = 0;

```

```

try
{
    _dbConnection.Open();
    affectedCount = _dbCommand.ExecuteNonQuery();
}
catch (Exception ex)
{
    throw ex;
}
finally {
    _dbConnection.Close();
} //end try catch
return affectedCount;
} //end method: UpdateSingleEntity

[DataObjectMethod(DataObjectMethodType.Delete,true)]
public override int DeleteSingleEntity(EntityMgmtUrlMapping entity)
{
    string id = Convert.ToString(entity.Id);

    string commandText = "DELETE FROM sys_MgmtUrlMappings WHERE id={0}";

    _dbConnection.ConnectionString = AppResource.GLOBAL_CONN_STRING;
    _dbCommand.Connection = _dbConnection;
    _dbCommand.CommandText = string.Format(commandText, id);

    int affectedCount = 0;

    try
    {
        _dbConnection.Open();
        affectedCount = _dbCommand.ExecuteNonQuery();
    }
    catch (Exception ex)
    {
        throw ex;
    }
    finally {
        _dbConnection.Close();
    } //end try catch

    return affectedCount;
} //end method: DeleteSingleEntity

protected override EntityMgmtUrlMapping MapDataRowToObject(DataRow dataRow)
{
    int id = (int)dataRow["id"];

```

```

int parentId = (int)dataRow["parentId"];
Guid applicationId = (Guid)dataRow["applicationId"];
string text = dataRow["text"] as string;
string value = dataRow["value"] as string;
string imgUrl = dataRow["imgUrl"] as string;
string url = dataRow["url"] as string;
string type = dataRow["type"] as string;
int sort = (int)dataRow["sort"];
bool visible = (bool)dataRow["visible"];
bool unlock = (bool)dataRow["unlock"];
string errorUrl = dataRow["errorUrl"] as string;
DateTime createDate = (DateTime)dataRow["createDate"];

EntityMgntUrlMapping entity = new EntityMgntUrlMapping();
entity.Id = id;
entity.ParentId = parentId;
entity.ApplicationId = applicationId;
entity.Text = text;
entity.Value = value;
entity.ImgUrl = imgUrl;
entity.Url = url;
entity.Type = type;
entity.Sort = sort;
entity.Visible = visible;
entity.Unlock = unlock;
entity.ErrorUrl = errorUrl;
entity.CreatedDate = createDate;

return entity;
} //end method: MapDataRowToObject

private void GenerateChildEntity(IList<EntityMgntUrlMapping> resultSet, DataTable dataTable, string
_parentId, int level) {

    string sortExpression = "sort";
    string filterExpression = "parentId=" + _parentId;

    DataRow[] dataRows = dataTable.Select(filterExpression, sortExpression);
    bool hookFlag = dataRows.Count() > 0 ? true : false;

    level++;
    if (hookFlag) {
        foreach (DataRow dataRow in dataRows) {

            EntityMgntUrlMapping entity = MapDataRowToObject(dataRow);
            string parentId = Convert.ToString(entity.Id);
            string text = entity.Text;

```

```
    for (int start = 1; start < level; start++)
        text = ITEM_SEPERATOR_SYMBOL + text;
    //end foreach
    entity.Text = text;

    resultSet.Add(entity);
    GenerateChildEntity(resultSet, dataTable, parentId, level);
} //end foreach

} //end if
} //end method: GenerateChildEntity
} //end class
}
```