

OSSLab ?????Hacker???????Apple IOS ??????

???

IPAD 1 , iPhone 3 ,iPhone 3GS ,iPhone 4 (WCDMA +CDMA) (??JB ??)

IPAD 2,IPad 3 ,iPhone 4S (??JB)

???? JB ,JB ?? ????????

????? pass code ipad 1 ,iphone 4 ???25 mins ??

?????? [??](#)

????

<http://www.youtube.com/watch?v=OOAf3RuhdP0>

[http://v.youku.com/v\\_show/id\\_XMzU5NDU1NzE2.html](http://v.youku.com/v_show/id_XMzU5NDU1NzE2.html)

??????


```
IOS forensic Tools for Windows V0.2 beta
By thx@osslab.com.tw from Taiwan
soron255054@hotmail.com soron(凌羽) from Taiwan
http://www.osslab.com.tw

special thanks      jean.sig    and jb security labs

_____
MENU
_____

1 以JB exploit進行鑑識Bootdisk 載入
2 掛載usb 終端ssh port
3 開始進行暴力破解
4 對IOS手持裝置鏡像
5 進行IOS鏡像解密恢復被刪檔案
6 結束本程式(EXIT)

請選擇你要進行的動作:
```



????



?? 2 ?? ?????? ?? ??

passwd.txt - 記事本

檔案(F) 編輯(E) 格式(O) 檢視(V) 說明(H)

```
-----  
          Passwords  
-----  
Service :      38B7A7F1-5CE9-40BA-AE07-BD467E0204D7  
Account :      [REDACTED]  
Password :      [REDACTED]  
Agrp :      apple  
-----  
Service :      push.apple.com  
Account :      [REDACTED]  
Password :      <binary data> : 7c7f5532ef27a72b2c59f3e033a8c488e394030a68286ab5e89e48e0650a18dc  
Agrp :      com.apple.apsd  
-----  
Service :      AirPort  
Account :      youth 3f  
Password :      [REDACTED]  
Agrp :      apple  
-----  
Service :      AirPort  
Account :      pci  
Password :      [REDACTED]  
Agrp :      apple  
-----  
Service :      AirPort  
Account :      ayi.tw  
Password :      [REDACTED]  
Agrp :      apple
```

passwd.txt - 記事本

檔案(F) 編輯(E) 格式(O) 檢視(V) 說明(H)

```
-----  
Server : api.openfeint.com:0  
Account : kMPOAuthCredentialConsumerKey  
Password : tz5yU2PdoYJ1VLG67nlwfg  
-----  
Server : imap.gmail.com:143  
Account : dtk1111@gmail.com  
Password : [REDACTED]  
-----  
Server : smtp.gmail.com:25  
Account : dtk1111@gmail.com  
Password : [REDACTED]  
-----  
Server : api.openfeint.com:0  
Account : kMPOAuthCredentialConsumerKey  
Password : DaAhQ7br3cDvQXv7r0vj1g  
-----  
Server : api.openfeint.com:0  
Account : kMPOAuthCredentialConsumerKey  
Password : hPgFiu4oSHFyZk7kdYXf3g  
-----  
Server : api.openfeint.com:0  
Account : kMPOAuthCredentialConsumerKey  
Password : H3UXVZQSAVODysyAsOKhw
```