

??????

- ??? Callback.php????????????? URL ?????? http://xxx.xxx.xxx/callback.php?to\_number=1234567 ?
- Callback.php ? AMI ??? Asterisk ??????????
- ? 1234567 ?????????????????????? 1????????????????????? 666666
- ?????????????????????? URL??? http://yyy.yyy.yyy/finished.php?to\_number=1234567?

????

manager.conf?

[callback]

```
secret=qsxes8825252
deny=0.0.0.0/0.0.0.0
permit=127.0.0.1/255.255.255.0
read=originate
write=originate
```

CallBack.php?

reference to undefined name 'syntax' Exception of type  
'MindTouch.Deki.Script.Runtime.DekiScriptUndefinedNameException' was thrown. (click for details)  
Dialplan?

[internal]

```
include => demo
include => outgoing
```

[outgoing]

```
exten => _XXXXX.,1,Noop(Dialing out thru Skype)
exten => _XXXXX.,n,Set(DIAL_TIMEOUT=40)
exten => _XXXXX.,n,Dial(SIP/skype/${EXTEN},${DIAL_TIMEOUT})
exten => _XXXXX.,n,Congestion(5)
```

```
exten => h,1,Hangup
exten => i,1,Hangup
exten => t,1,Hangup
```

[php\_callback]

```
exten => _cbX.,1,Noop(This call is made from Callback)
exten => _cbX.,n,Set(Call_From=${CALLERID(num)})
exten => _cbX.,n,Answer
exten => _cbX.,n(restart),Set(TIMEOUT(digit)=5) ; Set Digit Timeout to 5 seconds
exten => _cbX.,n,Set(TIMEOUT(response)=10) ; Set Response Timeout to 10 seconds
exten => _cbX.,n,Set(AGENT=${EXTEN:2})
exten => _cbX.,n,BackGround(custom/cjc_no_funds_call)
exten => _cbX.,n,WaitExten()
```

```

exten => 1,1,Noop(Caller pressed 1 so the call will bridge with the number ${AGENT})
exten => 1,n,Set(DIAL_TIMEOUT=40)
exten => 1,n,Dial(SIP/skype/${AGENT},${DIAL_TIMEOUT})
exten => 1,n,Hangup

```

```

exten => i,1,Noop(Caller pressed invalid number)
exten => i,n,Goto(cb${AGENT},restart)

```

```

exten => t,1,Noop(Caller don't make any decisions)
exten => t,n,Goto(cb${AGENT},restart)

```

```

exten => h,1,Noop(The Call has been terminated.)
exten => h,n,Noop(Hitting the link http://finishedcall.cheapjailcalls.com/
finished.php?to_number=${Call_From})
exten => h,n,Set(foo=${CURL(http://finishedcall.cheapjailcalls.com/
finished.php?to_number=${Call_From})})
exten => h,n,Noop(The HTTP Response Codes: ${foo})
exten => h,n,Hangup

```

## Q&A

Q: ?? .call file ???CDR ??????????

Ans: ????

1. [??]?? Channel: Local/XXXX@from-internal????? /n?
2. ?? Channel: Local/XXXX@from-internal?? Local ?? SIP?
3. ???[http://comments.gmane.org/gmane.comp..sk.user/270662](http://comments.gmane.org/gmane.comp.sk.user/270662)