

?????

- ?????? (?: RAM 128MB)
- OSSLab Firmware v0.3
- Asterisk 1.8.17

??????Sipp

??????sipp -sn uac -d 60000 -i 10.1.1.38 -s 7000 10.1.1.10 -l 30

???????

1. ?????? 20 ~ 38 ??????????
2. ??????????????????????
3. ?????????????? 15 ??
4. ??????? SIP Trunk ??????????????????
5. ?????????????????????? IVR?????????????????????IVR ??????

Web-UI > Voice Menu >

Name: sipp-test

Extension: 7000

Welcome Message: demo-instruct

t: Goto Menu > sipp-test

message screenshots

OSSLab
http://www.osslab.com.tw/

Logout

Manage Voice Menu

Create New

Edit VoiceMenu voicemenu-custom-1

Name: sipp-test [Advanced Edit]

Extension: 7000

Allow Dialing Other Extensions

Actions

- Play demo-instrud & Listen for Key/Press events
- Wait 5 sec for the user to enter an extension

Add new Step: -- Select an Option --

- Allow Key-Press Events
- 0 --
- 1 --
- 2 --
- 3 --
- 4 --
- 5 --
- 6 --
- 7 --
- 8 --
- 9 --
- # --
- * --
- t Goto VoiceMenu -- sipp-test
- i --

Cancel Save

Copyright 2006-2011 Digium, Inc. Digium and Asterisk are registered trademarks of Digium, Inc. All Rights Reserved. [Legal Information](#)

GUI version: SVN branch-2.0-r5220

http://192.168.1.11/static/config/index.html

????

- [? ATCOM IPOX ???](#)

????

??????? x 20

????: ??????????????????

