



??

Multipath ? CentOS/RedHat ?????????? port ? HBA ??? Storage?????????????

????

1. RedHat 4.7
2. NetApp FAS2240
3. SAN Switch x 2
4. HBA Card: QLogic, port x 2

```
#>lspci
Fibre Channel: QLogic Corp. ISP2532-based 8Gb Fibre Channel to PCI Express HBA (rev 02)
```

RedHat ? HBA Card ??

???????????? RedHat ??? HBA ????? RedHat ????? HBA ??

???????? RedHat ??? /etc/modprobe.conf???????

alias scsi_hostadapter2 qla2500

TIPs?

scsi_hostadapterX ??????????

?? HBA ?? WWN

#> cat /proc/scsi/qla2xxx/2

SCSI Device Information:

```
scsi-qla0-adapter-node=5001438004253c81;
scsi-qla0-adapter-port=5001438004253c80; <---- WWN
scsi-qla0-target-0=50001fe1500e28fd;
scsi-qla0-target-1=50001fe1500e28f9;
scsi-qla0-target-2=500a09829140a66c;
```

TIPs?

??? HBA port ??? /proc/scsi/qla2xxx/3?????

?? port ??? WWN

NetApp storage ?? LUN ?? WWN ?? Host Mapping ?????

?????????

```
# lsmod | grep qla
qla2500      209985  0
qla2xxx      203681  13 qla2500
scsi_transport_fc   19521  1 qla2xxx
```

```
scsi_mod      153489  7 ib_srp,qla2xxx,scsi_transport_fc,sr_mod,libata,cciss,sd_mo  d
```

SAN Storage ??????

1. ? NetApp storage?SAN switch?RedHat ????????
2. ?? RedHat ? HBA ? ? port ??? WWN
3. ?? NetApp?? LUNs ????? WWN Hosts

?? Multipath

???RedHat ????????? multipath.conf ??????????????????????

<https://access.redhat.com/labs/multipathhelper/>

????????

```
rpm -q device-mapper
rpm -q device-mapper-multipath
yum install device-mapper
yum install device-mapper-multipath
```

CentOS 5.x)

? /etc/multipath.conf

```
# Blacklist all devices by default. Remove this to enable multipathing
# on the default devices.
```

```
devnode_blacklist {
#    devnode "*" << *****
}
```

```
## Use user friendly names, instead of using WWIDs as names.
```

```
defaults {
    user_friendly_names yes
}
```

TIPs

???????? multipathd ????????????? LUNs ??????????????

? multipathd ??

```
#> service multipathd start
#> chkconfig multipathd on
```

CentOS 6/7)

- ?????? /etc/multipath.conf???????????????????? multipathd ????????

#> mpathconf --enable --with_multipathd y

- ??? multipath.conf

?? multupah ???

CentOS 5.x

```
[root@cdb3-b ~]# multipath -ll
mpath1 (360a98000383035537824474d3936556a) dm-4 NETAPP,LUN
[size=700G][features=3 queue_if_no_path pg_init_retries 50][hwhandler=0][rw]
\ round-robin 0 [prio=4][active]
 \ 1:0:1:0 sdb    8:16 [active][ready]
 \ 2:0:1:0 sdd    8:48 [active][ready]
\ round-robin 0 [prio=1][enabled]
 \ 1:0:0:0 sda    8:0  [active][ready]
 \ 2:0:0:0 sdc    8:32 [active][ready]
```

CentOS 6.x

```
[root@cdb3 ~]# multipath -ll
mpathb (360a98000383035537824474d39365568) dm-2 NETAPP,LUN
size=700G features='4 queue_if_no_path pg_init_retries 50 retain_attached_hw_handle' hwhandler='0'
wp=rw
|-- policy='round-robin 0' prio=4 status=active
|- 1:0:1:0 sdc 8:32 active ready running
| ` 2:0:1:0 sde 8:64 active ready running
`-- policy='round-robin 0' prio=1 status=enabled
  |- 1:0:0:0 sdb 8:16 active ready running
  ` 2:0:0:0 sdd 8:48 active ready running
```

?? NetApp ????

????? LUN ???? - NetApp Linux Host Utilities

yum install libnl

```
rpm -ivh QConvergeConsoleCLI-1.0.01-32.x86_64.rpm
rpm -ivh netapp_linux_host_utilities-6-2.x86_64.rpm
```

TIPs?

- ????????????????? sanlun ??

- ?? CentOS 5.x/6.x

?? LUN ????????

?????????? LUN disks (? dual path SAN ??????? LUN disks)????????????????? mpathXX ?????

```
#> multipath -l
mpath1 (360a98000424732615124444150534a35)
[size=100 GB][features="1 queue_if_no_path"][hwandler="0"]
\ round-robin 0 [active]
 \ 2:0:2:0 sde 8:64 [active]
 \ 3:0:2:0 sdf 8:80 [active]

mpath0 (3600508b400068e5c00012000001a0000)
[size=100 GB][features="1 queue_if_no_path"][hwandler="0"]
\ round-robin 0 [active]
 \ 2:0:0:1 sda 8:0 [active]
 \ 3:0:0:1 sdc 8:32 [active]
\ round-robin 0 [enabled]
 \ 2:0:1:1 sdb 8:16 [active]
 \ 3:0:1:1 sdd 8:48 [active]
```

TIPs?

mpathX ?????? LVM ? PV ?????? filesystem????? /dev/mapper/mpathX

2:0:0:1 ??? host : channel : ID : LUN

Host 2 ? Host 3 ?? HBA ??? port ??? port ???

??/?? LUN ????????

?????

- <https://library.netapp.com/ecmdocs/E...BFEA6BED1.html>
- <https://access.redhat.com/solutions/3941>

CentOS/RedHat 5x ??

? CentOS/RedHat 5 ??? SLES 10 ????????????

yum install sg3_utils

????????? LUN Disk

??????? LUN Disks

```
#> sanlun lun show all
```

???? LUN

```
#> scsi-rescan
```

NOTE: ??????? LUN????? -a

```
#> scsi-rescan -a
```

?????? LUN Disks

```
#> sanlun lun show all
```

? LUN ???

?????? LUN disk ????????????

1. ?? umount ??
2. ?? lvremove ?? LV
3. ????? vgremove ?? VG
4. ?? pvremove ?? PV
5. ?? multipath -f mpathXX ?? multipathXX

NOTE: ????????????? LUN ????? Hang?

6. ? Storage ??????? LUN disk

NOTE: ? LUN ??????? sanlun lun show all?????? LUN ??? unknown?

7. ?? scsi-rescan -r ??????? LUN disk

NOTE: ????????????????

4 device(s) removed.

[5:0:1:0]

[5:0:3:0]

[6:0:1:0]

[6:0:3:0]

???? sanlun lun show all??? unknown ?????

CentOS/RedHat 4x?

??????

- [Vmware Linux Guest Add a New Hard Disk Without Rebooting Guest](#)

????????? script

1. remove-LUNs.sh
2. rescan-LUNs.sh

? LUN disk ??

1. ? NetApp storage ??? LUN Mapping ???

2. ? RedHat ??? rescan-LUNs.sh
3. ? RedHat ??? multipath -l

???? LUN disk

1. ? RedHat ?????? mpathX
2. ? RedHat ??? sanlun lun show all ?? LUN ??? NetApp ???
????? sanlun ??????? NetApp ??? netapp_linux_host_utilities-6-2.x86_64.rpm
3. ? NetApp ??????? LUN
4. ? RedHat ??? multipath -l
????? LUN disks ? host:channel:id:LUN
?? remove-LUNs.sh <host> <channel> <id> <LUN>

LVM ??

? LUN ????? PV

#> pvcreate /dev/mapper/mpath6

NOTE: PV ?????? pvdisplay ??????? dm-X?

?? VG

#> vgcreate dbVG /dev/mapper/mpath6

??????

multipath

/etc/init.d/multipathd start	Manually starts the multipathing service on the Linux host.
multipath -ll	Displays the multipathing configuration.
multipath -v2	Creates the initial multipathing configuration.
multipath -f <i>device_map</i>	Removes an existing LUN from the multipathing configuration.
multipath -ll -v2 -d	Displays the multipathing configuration in verbose mode.
multipath -t ? multipathd show config	?????????

Accessing LUNs on host

sanlun fcp show adapter -v	Displays HBA information.
sanlun fcp show adapter	Display WWPN of HBA cards

sanlun lun show all	Lists available LUNs as seen by the sanlun script.
sanlun lun show -p	Provides multipath information for both DM-Multipath and Veritas Storage Foundation TM dynamic multipathing solutions.
ls -lh /dev/mapper/	Lists DM-Multipath devices generated for LUNs.
e2label <i>device</i> <i>label</i>	Creates a persistent label for a file system. <i>device</i> is the partition; <i>label</i> is a unique string up to 16 characters. Not needed with DM-Multipath.

Q & A

Q: RHEL 7 ??? alias path

?? NetApp Storage??? multipath -ll

```
360a98000443437576f2444726e556d76 dm-2 NETAPP ,LUN
size=800G features='4 queue_if_no_path pg_init_retries 50 retain_attached_hw_handle'
hwandler='1 alua' wp=rw
|+- policy='service-time 0' prio=50 status=active
|`- 6:0:0:0 sdb 8:16 active ready running
`-- policy='service-time 0' prio=10 status=enabled
`- 6:0:3:0 sdc 8:32 active ready running
```

???? alias name: mpathXX

?????? <https://access.redhat.com/solutions/2061463>

?? multipath ????????

multipath -t

???? NetApp ???

?????? multipath.conf??? NetApp ?????

NOTE???? NetApp Storage

```
defaults {
    user_friendly_names yes
    find_multipaths yes
}
```

devices {

```

device {
    vendor "NETAPP"
    product "LUN.*"
    path_grouping_policy "group_by_prio"
    path_checker "tur"
    features "3 queue_if_no_path pg_init_retries 50"
    hardware_handler "0"
    prio "ontap"
    fallback immediate
    rr_weight "uniform"
    rr_min_io 128
    flush_on_last_del "yes"
    dev_loss_tmo "infinity"
    user_friendly_names yes
    retainAttached_hw_handler yes
    detect_prio yes
}

```

?????

```
#> systemctl reload multipathd
```

```

#> multipath -ll
mpatha (360a98000443437576f2444726e556d76) dm-2 NETAPP ,LUN
size=800G features='4 queue_if_no_path pg_init_retries 50 retain_attached_hw_handle' hwhandler='1
alua' wp=rw
|--- policy='service-time 0' prio=50 status=active
|   |- 4:0:0:0 sdb 8:16 active ready running
|   `-- 6:0:0:0 sdd 8:48 active ready running
`--- policy='service-time 0' prio=10 status=enabled
   |- 4:0:3:0 sdc 8:32 active ready running
   `-- 6:0:3:0 sde 8:64 active ready running

```

Q: ?? netapp_linux_host_utilities ????????

Warning: libnl.so library not found, some sanlun commands may not work. Refer Linux Host Utilities Installation and Set up Guide for more details

Warning: libHBAPI.so library not found, some sanlun commands may not work. Refer Linux Host Utilities Installation and Setup Guide for more details

Ans:

??? libnl

yum install libnl

???????????

?????

1. <http://driverdownloads.qlogic.com/QL...emcatid=111969>
2. <http://driverdownloads.qlogic.com/QL...t%2864-bit%29>

- QConvergeConsole CLI (x64)
- SANsurfer CLI (x86/x64)

Q: ?? pvscan?vgscan ??????????

Found duplicate PV XXXXXXXXXXXXXXXXXX: using /dev/sdb not /dev/sda

Ans???????????? multipath ? LVM ??????? CentOS 4/5 ?? LVM ????????????????????????? multipath ??LVM ??
?? mpathX ? dm-X ??????? sdX ???

?? LVM ??? sdX ?????????? /etc/lvm/lvm.conf?????????????????LVM ??? sdX ?????????????? initrd ??????????
grub.conf ??????

?????:

1. ?? /etc/lvm/lvm.conf

...
filter = ["r|/dev/sd.*|", "a|/.*|"]

...

NOTE?

r|/dev/sd.*| ??????? sda, sdb, ...?????????????????????????????????????

????

?? pvscan ? vgscan??????? Warning????? 2?

2. ?? initrd ?????

```
#> cd /boot
#> mkinitrd -f -v /boot/initrd-$(uname -r).multipath.img $(uname -r)
```

?? /boot/grub/grub.conf
?? title ????????????????

title CentOS (2.6.18-398.el5-Multipath)	<== ?? Multipath
root (hd0,0)	

kernel /vmlinuz-2.6.18-398.....
initrd /initrd-2.6.18-398.el5.multipath.img <== ???initrd ??????

????

3. ??????????????????????????????

????????????????????????? grub.conf ? default=1?

????

- [Editing the DM-Multipath configuration file](#)
- [Configuring persistent storage in a Red Hat Enterprise Linux 5 environment](#)
- [DM Multipath](#)
- [Multipathing NetApp LUN on RHEL 5.3](#)