

?????

- webservice/display\_ratecard.php
- common/lib/\*

????

sample\_display\_ratecard.php

```
<?php
/*
 * @return string
 * @param string $url
 * @desc Return string content from a remote file
 */
```

```
function open_url($url)
{
    $ch = curl_init();

    curl_setopt ($ch, CURLOPT_URL, $url);
    curl_setopt ($ch, CURLOPT_HEADER, 0);

    ob_start();

    curl_exec ($ch);
    curl_close ($ch);
    $string = ob_get_contents();

    ob_end_clean();

    return $string;
}
```

```
$private_key = "Ae87v56zzl34v";
$private_key_md5 = md5($private_key);
```

```
$api_url = "http://localhost/a2b_api/display_ratecard.php?" .
    "key=$private_key_md5" .
    "&page_url=http://localhost/a2b_api/sample_display_ratecard.php" .
    "&field_to_display=t1.destination,t1.dialprefix,t1.rateinitial" .
    "&column_name=Destination,Prefix,Rate/Min" .
    "&field_type=,,money" .
    "&fullhtmlpage=1&filter=countryname,prefix" .
    "&" . $_SERVER['QUERY_STRING'];
```

```
// ----- USAGE -----
```

#usage:

```
$content = open_url ($api_url);
print ($content);
```

?>

Tips:

- key: api\_security\_key
- tariffgroupid: Call Plan ID
- ratecardid: Rate Card ID (????? tariffgroupid)
- css\_url:
- nb\_display\_lines: ????????
- filter:
  - ? countryname ??????
  - ? prefix ??????
- field\_to\_display: ?????????? (t1.destination,t1.dialprefix,t1.rateinitial)
- field\_type: ??????????money or date (,money)
- column\_name: ???? (Destination, Dialprefix, Rate/Min)
- browse\_letter: ???? A-Z ???? (yes or no)
- prefix\_select: ??????????
- currency\_select: ??????(USD or EUR etc...; ?????????? 0)
- page\_url: PHP?????URL???????????????
- merge\_form:
- fullhtmlpage:
- resulttitle:
- lcr: ???? LCR?1: ??0: ?(??)

???????

1. ??????????????????
2. ??????????????????

???????

```
?? display_ratecard.php?? 1000 ?? 3000 ??
```

```
// fix for Country Select
```

```
display_ratecard.php
```

```
if ($FILTER_COUNTRY) {
```

```
    $QUERY = 'SELECT DISTINCT destination FROM cc_prefix ORDER BY destination LIMIT 0, 1000';
```

```
    $country_list = $instance_table->SQLExec($DBHandle, $QUERY, 1, $caching_query);
```

```
}
```

?????????

```
?? Misc.php? ???? 3 ?? 4
```

```
function display_2bill($var, $currency = BASE_CURRENCY) {
    global $currencies_list, $choose_currency;

    if (isset ($choose_currency) && strlen($choose_currency) == 3)
        $currency = $choose_currency;
    if (!(isset ($currencies_list) || (is_array($currencies_list))))
        $currencies_list = get_currencies();
    $var = $var / $currencies_list[strtoupper($currency)][2];
    echo number_format($var, 3) . ' ' . strtoupper($currency);
}
```