

?????

- webservice/display_ratecard.php
- common/lib/*

????

sample_display_ratecard.php

```
<?php
/*
 * @return string
 * @param string $url
 * @desc Return string content from a remote file
 */
```

```
function open_url($url)
{
    $ch = curl_init();

    curl_setopt ($ch, CURLOPT_URL, $url);
    curl_setopt ($ch, CURLOPT_HEADER, 0);

    ob_start();

    curl_exec ($ch);
    curl_close ($ch);
    $string = ob_get_contents();

    ob_end_clean();

    return $string;
}
```

```
$private_key = "Ae87v56zzl34v";
$private_key_md5 = md5($private_key);
```

```
$api_url = "http://localhost/a2b_api/display_ratecard.php?" .
    "key=$private_key_md5" .
    "&page_url=http://localhost/a2b_api/sample_display_ratecard.php" .
    "&field_to_display=t1.destination,t1.dialprefix,t1.rateinitial" .
    "&column_name=Destination,Prefix,Rate/Min" .
    "&field_type=,,money" .
    "&fullhtmlpage=1&filter=countryname,prefix" .
    "&" . $_SERVER['QUERY_STRING'];
```

```
// ----- USAGE -----
```

```
#usage:
$content = open_url ($api_url);
print ($content);
```

?>

Tips:

- key: api_security_key
- tariffgroupid: Call Plan ID
- ratecardid: Rate Card ID (????? tariffgroupid)
- css_url:
- nb_display_lines: ?????????
- filter:
 - ? countryname ??????
 - ? prefix ??????
- field_to_display: ?????????? (t1.destination,t1.dialprefix,t1.rateinitial)
- field_type: ??????????money or date (,money)
- column_name: ???? (Destination, Dialprefix, Rate/Min)
- browse_letter: ???? A-Z ???? (yes or no)
- prefix_select: ?????????
- currency_select: ??????(USD or EUR etc...; ????????? 0)
- page_url: PHP?????URL???????????????
- merge_form:
- fullhtmlpage:
- resulttitle:
- lcr: ???? LCR?1: ??: ?(??)

??????

1. ??????????????????
2. ??????????????????

??????

```
?? display_ratecard.php?? 1000 ?? 3000 ??
```

```
// fix for Country Select
```

```
display_ratecard.php
```

```
if ($FILTER_COUNTRY) {
```

```
    $QUERY = 'SELECT DISTINCT destination FROM cc_prefix ORDER BY destination LIMIT 0, 1000';
```

```
    $country_list = $instance_table->SQLExec($DBHandle, $QUERY, 1, $caching_query);
```

```
}
```

?????????

```
?? Misc.php? ???? 3 ?? 4
```

```
function display_2bill($var, $currency = BASE_CURRENCY) {
    global $currencies_list, $choose_currency;

    if (isset ($choose_currency) && strlen($choose_currency) == 3)
        $currency = $choose_currency;
    if ((!isset ($currencies_list)) || (!is_array($currencies_list)))
        $currencies_list = get_currencies();
    $var = $var / $currencies_list[strtoupper($currency)][2];
    echo number_format($var, 3) . ' ' . strtoupper($currency);
}
```