

Migrate OVMM to a different server

????Administrator's Guide for Release 3.3 ??? Backing up and Restoring Oracle VM Components

For whatever reason you ever need to migrate an OVM Manager to a different host this would be helpful. I can't imagine that this would need to happen that often but I recently did need to cut it over from a Virtualbox instance to an OVM Hypervisor. This is the OVM 3.2.1 local mysql(not Oracle XE) DB version.

Find the source UUID:

```
# more /u01/app/oracle/ovm-manager-3/.config
DBTYPE=MySQL
DBHOST=localhost
SID=ovs
LSNR=49500
OVSSHEMA=ovs
APEX=8080
WLSADMIN=weblogic
OVSADMIN=admin
COREPORT=54321
UUID=0004fb0000010000434a8179cda0edbd
BUIDID=3.2.1.516
```

Copy recent backup and stage on new host. You can make a manual mysql backup or I just used the latest Auto backup:

```
# tar cpf a.tar AutoFullBackup-20130501_201957
# scp a.tar root@172.16.97.155:/root
```

Some pre-requisites the install would be pointing out:

```
# grep oracle /etc/group
dba:x:501:oracle
```

```
# tail -3 /etc/security/limits.conf
* soft nfile 16384
* hard nfile 65536
# End of file
```

```
[root@hovmmanager a]# ulimit -aH
...
open files          (-n) 65536
...
```

Install Manager on new host using old UUID:

```
# pwd
/mnt/a
```

```
# ./runInstaller.sh --uuid 0004fb0000010000434a8179cda0edbd  
Oracle VM Manager Release 3.2.1 Installer
```

Oracle VM Manager Installer log file:  
/tmp/ovm-manager-3-install-2013-05-02-115510.log

Please select an installation type:  
1: Simple (includes database if necessary)  
2: Custom (using existing Oracle database)  
3: Uninstall  
4: Help

Select Number (1-4): Please enter a valid value  
Select Number (1-4): 1

Starting production with local database installation ...

Verifying installation prerequisites ...  
Unable to ping hostname 'hovmmanager.keste.com'.  
\*\*\* WARNING: Recommended memory for the Oracle VM Manager server installation using Local MySQL  
DB is 7680 MB RAM  
Group 'dba' does not exist, create user 'oracle' with group 'dba' before installing  
hardnofiles should be set to 8192 but was 4096

\*\*\* OK lets try again. Left above in to show the pre-requisites...

```
# ./runInstaller.sh --uuid 0004fb0000010000434a8179cda0edbd
```

Oracle VM Manager Release 3.2.1 Installer

Oracle VM Manager Installer log file:  
/tmp/ovm-manager-3-install-2013-05-02-120741.log

Please select an installation type:  
1: Simple (includes database if necessary)  
2: Custom (using existing Oracle database)  
3: Uninstall  
4: Help

Select Number (1-4): 1

Starting production with local database installation ...

Verifying installation prerequisites ...

One password is used for all users created and used during the installation.  
Enter a password for all logins used during the installation:  
Enter a password for all logins used during the installation (confirm):

Verifying configuration ...

Start installing the configured components:

- 1: Continue
- 2: Abort

Select Number (1-2): 1

Step 1 of 9 : Database Software...

Installing Database Software...

Retrieving MySQL Database 5.5 ...

Unzipping MySQL RPM File ...

Installing MySQL 5.5 RPM package ...

Configuring MySQL Database 5.5 ...

Installing MySQL backup RPM package ...

Step 2 of 9 : Java ...

Installing Java ...

Step 3 of 9 : Database schema ...

Creating database 'ovs' ...

Creating user 'ovs' for database 'ovs'...

Step 4 of 9 : WebLogic ...

Retrieving Oracle WebLogic Server 11g ...

Installing Oracle WebLogic Server 11g ...

Step 5 of 9 : ADF ...

Retrieving Oracle Application Development Framework (ADF) ...

Unzipping Oracle ADF ...

Installing Oracle ADF ...

Installing Oracle ADF Patch...

Step 6 of 9 : Oracle VM ...

Retrieving Oracle VM Manager Application ...

Extracting Oracle VM Manager Application ...

Installing Oracle VM Manager Core ...

Step 7 of 9 : Domain creation ...

Creating Oracle WebLogic Server domain ...

Starting Oracle WebLogic Server 11g ...

Configuring data source 'OVMS' ...

Creating Oracle VM Manager user 'admin' ...

Step 8 of 9 : Deploy ...

Deploying Oracle VM Manager Core container ...

Deploying Oracle VM Manager UI Console ...

Deploying Oracle VM Manager Help ...

Granting ovm-admin role to user 'admin' ...

Set Log Rotation ...  
 Disabling HTTP and enabling HTTPS...  
 Configuring Https Identity and Trust...  
 Configuring Weblogic parameters...

Step 9 of 9 : Oracle VM Manager Shell ...  
 Retrieving Oracle VM Manager Shell & API ...  
 Extracting Oracle VM Manager Shell & API ...  
 Installing Oracle VM Manager Shell & API ...

Retrieving Oracle VM Manager Upgrade tool ...  
 Extracting Oracle VM Manager Upgrade tool ...  
 Installing Oracle VM Manager Upgrade tool ...

Retrieving Oracle VM Manager CLI tool ...  
 Extracting Oracle VM Manager CLI tool...  
 Installing Oracle VM Manager CLI tool ...  
 Copying Oracle VM Manager shell to '/usr/bin/ovm\_shell.sh' ...  
 Installing ovm\_admin.sh in '/u01/app/oracle/ovm-manager-3/bin' ...  
 Installing ovm\_upgrade.sh in '/u01/app/oracle/ovm-manager-3/bin' ...  
 Enabling Oracle VM Manager service ...  
 Shutting down Oracle VM Manager instance ...  
 Restarting Oracle VM Manager instance ...  
 Waiting for the application to initialize ...  
 Oracle VM Manager is running ...  
 Oracle VM Manager installed.

Please wait while WebLogic configures the applications... This can take up to 5 minutes.

## Installation Summary

### Database configuration:

Database type : MySQL  
 Database host name : localhost  
 Database name : ovs  
 Database listener port : 49500  
 Database user : ovs

### Weblogic Server configuration:

Administration username : weblogic

### Oracle VM Manager configuration:

Username : admin  
 Core management port : 54321  
 UUID : 0004fb0000010000434a8179cda0edbd

### Passwords:

There are no default passwords for any users. The passwords to use for Oracle VM Manager, Database, and Oracle WebLogic Server have been set by you during this installation. In the case of a default install, all passwords are the same.

Oracle VM Manager UI:

<https://vmmanager.domain.com:7002/ovm/console>

Log in with the user 'admin', and the password you set during the installation.

Please note that you need to install tightvnc-java on this computer to access a virtual machine's console.

For more information about Oracle Virtualization, please visit:

<http://www.oracle.com/virtualization/>

Oracle VM Manager installation complete.

Please remove configuration file /tmp/ovm\_configBltiZ5.

Restore DB:

```
# pwd
/u01/app/oracle/mysql/dbbackup

# mv /root/AutoFullBackup-20130501_201957/ ./

# /etc/init.d/ovmm stop
Stopping Oracle VM Manager          [ OK ]
# /etc/init.d/ovmm_mysql stop
Shutting down OVMM MySQL..

# su - oracle
$

$ bash /u01/app/oracle/ovm-manager-3/ovm_shell/tools/RestoreDatabase.sh
AutoFullBackup-20130501_201957
INFO: Expanding the backup image...
INFO: Applying logs to the backup snapshot...
INFO: Restoring the backup...
INFO: Success - Done!
INFO: Log of operations performed is available at: /u01/app/oracle/mysql/dbbackup/
AutoFullBackup-20130501_201957/Restore.log
```

IMPORTANT:

As 'root', please start the OVM Manager database and application using:  
service ovmm\_mysql start; service ovmm start

```
$ logout
```

```
# /etc/init.d/ovmm_mysql start
Starting OVMM MySQL..          [ OK ]
```

```
# /etc/init.d/ovmm start
```