

??

???????????????????? BT/HTTP/???????????? 1TB ????

?????

- CPU: Broadcom BCM4709 Cortex-A9
- RAM: 256 MB Samsung
- WiFi: Broadcom BCM43217 2.4G 802.11n?Broadcom BCM4352 5G WiFi 802.11ac
- H.D.D: Samsung 2.5" 1TB

?????

- [opkg ??](#)

?? SSH ??

??? <http://bbs.xiaomi.cn/thread-9975354-1-2.html>

????????? <http://www.miui.com/thread-1776173-1-1.html>

????

df -h

```

-----
Welcome to XiaoQiang!
-----
root@XiaoQiang:~#
root@XiaoQiang:~#
root@XiaoQiang:~# passwd
Changing password for root
New password:
Bad password: too many similar characters
Retype password:
Password for root changed by root
root@XiaoQiang:~# df -h
Filesystem      Size      Used Available Use% Mounted on
rootfs          127.2M    94.3M    26.5M   78% /
none            124.1M      0    124.1M   0% /dev
tmpfs           124.7M     3.4M   121.3M   3% /tmp
/dev/sda2       127.2M    94.3M    26.5M   78% /
tmpfs           124.7M     3.4M   121.3M   3% /tmp
/dev/sda3       261.7M    22.9M   225.6M   9% /data
/dev/sda4       930.7G    80.6G   850.0G   9% /userdisk
/dev/sda3       261.7M    22.9M   225.6M   9% /etc
/dev/sda2       127.2M    94.3M    26.5M   78% /rom
/dev/sdb1       1.9G      8.0K    1.9G    0% /extdisks/sdb1
root@XiaoQiang:~# free -m
              total        used         free      shared    buffers     cached
Mem:           249           194            54           0             8           130
-/+ buffers/cache:           56           193
Swap:          255              0           255
root@XiaoQiang:~#

```

mount

```

root@XiaoQiang:~#
root@XiaoQiang:~#
root@XiaoQiang:~# mount
rootfs on / type rootfs (rw)
none on /sys type sysfs (rw,nosuid,nodev,noexec,relatime)
none on /proc type proc (rw,nosuid,nodev,noexec,relatime)
none on /dev type devtmpfs (rw,relatime,size=127060k,nr_inodes=31765,mode=755)
tmpfs on /tmp type tmpfs (rw,nosuid,relatime,size=51060k,mode=755)
/dev/sda2 on / type ext4 (ro,relatime,barrier=1,data=ordered)
tmpfs on /tmp type tmpfs (rw,nosuid,nodev,noatime)
devpts on /dev/pts type devpts (rw,noatime,mode=600)
/dev/sda3 on /data type ext4 (rw,noatime,barrier=1,data=ordered)
/dev/sda4 on /userdisk type ext4 (rw,noatime,barrier=1,data=ordered)
/dev/sda3 on /etc type ext4 (rw,noatime,barrier=1,data=ordered)
/dev/sda2 on /rom type ext4 (ro,relatime,barrier=1,data=ordered)
/dev/sdb1 on /extdisks/sdb1 type vfat (rw,relatime,mask=0000,dmask=0000,allow_utime=0022,codepage=cp437,iocharset=utf8,shortname=mixed,errors=remount-ro)
root@XiaoQiang:~# █

```

cat /proc/cpuinfo

```

/dev/sda2          127.2M    94.3M    26.5M    78% /rom
/dev/sdb1          1.9G      8.0K    1.9G     0% /extdisks/sdb1
root@XiaoQiang:~# free -m
              total        used         free      shared    buffers     cached
Mem:           249           194           54           0           8          130
-/+ buffers/cache: 56          193
Swap:          255            0          255
root@XiaoQiang:~# cat /proc/cpuinfo
Processor       : ARMv7 Processor rev 0 (v7l)
processor       : 0
BogoMIPS       : 1998.84

processor       : 1
BogoMIPS       : 1998.84

Features        : swp half thumb fastmult edsp
CPU implementer : 0x41
CPU architecture: 7
CPU variant     : 0x3
CPU part        : 0xc09
CPU revision    : 0

Hardware       : Northstar Prototype
Revision       : 0000
Serial         : 0000000000000000

p_chip        : 53010
p_chiprev     : 0
p_chippkg     : 0
root@XiaoQiang:~# █

```

uname -a

```
root@XiaoQiang:~#  
root@XiaoQiang:~# uname -a  
Linux XiaoQiang 2.6.36.4brcmarm #1 SMP PREEMPT Thu Jun 12 21:50:57 CST 2014 armv7l GNU/Linux  
root@XiaoQiang:~# █
```