

?????


- [Face Recognition](#)
- [RasPBX](#)
- [USB Webcam](#)
- [????\(?MicroSD\)](#)
- [????](#)
- [??????](#)

??


??????Raspberry Pi??????Linux????????????????(single-board)????????????????
????????????????????????????????????

??

Raspberry Pi 2 Model B?



SoC?	Broadcom BCM2836
CPU?	900 MHz;Quad-core ARM Cortex-A7
GPU?	Dual Core VideoCore IV® Multimedia Co-Processor; Open GL ES 2.0; hardware-accelerated OpenVG; 1080p30 H.264 high-profile decode
????	1GB LPDDR2?? GPU ???
?????	Composite RCA; HDMI
?????	3.5 mm jack; HDMI(1.3 & 1.4)
???	microSD
USB?	USB 2.0 x 4
Ethernet?	10/100 RJ45
GPIO?	40-pin 2.54 mm (100 mil) expansion header: 2×20 strip
?????	700 mA
???	85mm x 56mm x 17mm
???	42g



?? [Datasheet](#)

????

- [????](#)
- [?????](#)
- [Development environment](#)
- For Asterisk

- ? [The Sensational Raspberry Pi 3 Featuring Incredible PBX GUI with Raspbian 8 Jessie](#)
- ? [RasPBX](#)
- SMS Gateway: [Raspberry PI SMS sender](#)