

Instance ??????

? instance 'homepbx' ? micro ??? standard?

gcloud compute ???

? instance 'homepbx' ????? snapshot

```
$> gcloud compute disks snapshot "homepbx" \
--zone "asia-east1-a" \
--snapshot-names "snap-homepbx"
```

```
$> gcloud compute snapshots list
```

? snapshot ??????

```
$> gcloud compute disks create "homepbx-4g" \
--size "10" \
--zone "asia-east1-a" \
--source-snapshot "snap-homepbx" \
--type "pd-standard"
```

```
$> gcloud compute disks list
```

?? instance ??????????

```
$> gcloud compute instances create "homepbx-4g" \
--zone "asia-east1-a" \
--machine-type "n1-standard-1" \
--maintenance-policy "MIGRATE" \
--scopes "https://www.googleapis.com/auth/devstorage.read_only,https://www.googleapis.com/auth/
logging.write" \
--network "ip-pbx" \
--disk "name=homepbx-4g,device-name=homepbx-4g,mode=rw,boot=yes,auto-delete=yes"
```

TIPS?

????????? IP ?????????? IP ?? static????????????? IP ??? Instance ???

?? gcloud compute ?????????????? console ??????????????????????

????????????? SSH Key ????????

?? Instance ???

??? asia-east1-a ? us-central1-a

```
$> gcloud compute instances move homepbx-4g \
--zone asia-east1-a \
--destination-zone us-central1-a
```

TIPS?

????????????? Quota ?????

???? IP ??????