

Set root's password for MySQL

```
mysql_secure_installation
```

Log File Rotation

If this is not done the log files will keep growing indefinitely.

```
Edit /etc/logrotate.d/asterisk
```

```
/var/spool/mail/asterisk
/var/log/asterisk/*log
/var/log/asterisk/full
/var/log/asterisk/dtmf
/var/log/asterisk/freepbx_dbug
/var/log/asterisk/fail2ban {
    weekly
    missingok
    rotate 4
    #compress
    notifempty
    sharedscripts
    create 0640 asterisk asterisk
    postrotate
    /usr/sbin/asterisk -rx 'logger reload' > /dev/null 2> /dev/null || true
    endscrip
    su root root
}
```

TFTP

If you plan to use hardware SIP phones you will probably want to set up TFTP.

```
yum -y install tftp-server
nano /etc/xinetd.d/tftp
```

```
change server_args = -s /var/lib/tftpboot
to server_args = -s /tftpboot
```

```
change disable=yes
to disable=no
```

```
mkdir /tftpboot
chmod 777 /tftpboot
systemctl restart xinetd
```

```
firewall-cmd --permanent --zone=public --add-port=69/udp
firewall-cmd --reload
```

MPG123

This is used in combination with sox to convert uploaded mp3 files to Asterisk compatible wav files.

```
cd /usr/src
wget http://ufpr.dl.sourceforge.net/project/mpg123/mpg123/1.22.4/mpg123-1.22.4.tar.bz2
tar -xjvf mpg123*
```

```
cd mpg123*/
./configure --prefix=/usr --libdir=/usr/lib64 && make && make install && ldconfig
```

Digum addons

To register digium® licenses.

```
cd /usr/src
wget http://downloads.digium.com/pub/register/linux/register
chmod +x register
./register
```

To install the individual addons refer to the README files and ignore the register instructions.

- http://downloads.digium.com/pub/tele...ec_g729/README
- http://downloads.digium.com/pub/tele...m_phone/README
- <http://downloads.digium.com/pub/telephony/fax/README>
- <http://downloads.digium.com/pub/telephony/hpec/README>

Password protect http access

A simple way to block scanners looking for exploits on apache web servers.

```
mkdir -p /usr/local/apache/passwd
htpasswd -c /usr/local/apache/passwd/wwwpasswd someusername
htpasswd -c /usr/local/apache/passwd/wwwpasswd someotherusername
```

```
nano /var/www/html/.htaccess
```

```
# .htaccess files require AllowOverride On in /etc/httpd/conf/httpd.conf
AuthType Basic
AuthName "Restricted Access"
AuthUserFile /usr/local/apache/passwd/wwwpasswd
Require valid-user
```

Alternatively, the above .htaccess config can be added to /etc/httpd/conf/httpd.conf or as a separate file in /etc/httpd/conf.d/ as follows.

```
<Directory /var/www/html>
AuthType Basic
AuthName "Restricted Area"
```

```
AuthUserFile /usr/local/apache/passwd/wwwpasswd
Require valid-user
</Directory>
```

Whitelist protect http access

If http access is only required from certain IP addresses.

NOTE: Apache 2.4 ????????

Edit /etc/httpd/conf.d/whitelist.conf

```
<Location />
<RequireAny>
## Uncomment the following line to disable the whitelist
#Require all granted

Require ip x.x.x.x
Require ip x.x.x.x x.x.x.x x.x.x.x
Require ip x.x
Require ip x.x.x.0/255.255.255.0
Require host somedomain.com
#
## See http://httpd.apache.org/docs/2.4/mod/mod_authz_host.html for more examples
#
</RequireAny>
</Location>
```

?? Apache ??

NOTE????????? AllowOverride All ??

.htaccess?

```
order deny,allow
deny from all
# Alang's IPs
allow from 123.123.123.1
allow from 111.222.222.2
allow from 192.168.99.
```