

??? re-build ?????????????????? Dockerfile?

build: 7.2-fpm-opcache

command

??????

command: bundle exec thin -p 3000

or

command: [bundle, exec, thin, -p, 3000]

links

????????????????????mysql???????????????????????????????????????? docker run --link?

links:

- db
- db:mysql
- redis

ports

????????????????

ports:

- "3000"
- "8000:8000"
- "49100:22"
- "127.0.0.1:8001:8001"

expose

?? container ?????????????????? docker run --expose?

expose:

- "3000"
- "8000"

volumes

????????????????

volumes:

- /var/lib/mysql
- cache:/tmp/cache
- ~/configs:/etc/configs/:ro

volumes_from

????????????????

extra_hosts:

- "somehost:162.242.195.82"
- "otherhost:50.31.209.229"

networks

??????? docker network ?????? servcies ???? network ????

version: '3'

services:

t1:

image: tomcat:8.5.11-jre8

networks:

- test-net

t2:

image: tomcat:8.5.11-jre8

networks:

- test-net

networks:

test-net:

dns

??? DNS ????

dns: 8.8.8.8

dns:

- 8.8.8.8
- 9.9.9.9

logging

?????????

logging:

driver: "json-file"

options:

- max-size: "1m"
- max-file: "3"