


?????vmsky ?? ???iosnow

?? ??

??VMware update manager????VC server????????????????????sql express????
 ?????????VC????????????????????proxy server????????????????????proxy??



????proxy server?????C:\Program Files\VMware\Infrastructure\Update Manager?update manager?????????vci-integrity.xml?
 ???<proxySettings>???????

```
<proxySettings>
  <useProxyServer>true</useProxyServer> <!-- true -->
  <proxyServer>proxy server NAME</proxyServer> <!-- proxy.vmware.com -->
  <proxyPort>80</proxyPort> <!-- 3128 -->
</proxySettings>
```

??proxy server ??????????update manager?????????vum-proxyAuthCfg.exe

```
C:\Program Files\VMware\Infrastructure\Update Manager\vm-proxyAuthCfg.exe
*****
VMware Update Manager Proxy Authentication Configuration Tool


Configure proxy authentication settings for VMware Update Manager
and VMware Update Manager Download Service
*****

Press 'y' to setup new proxy authentication settings.
Any other key to remove existing proxy authentication settings: y


Enter proxy server user name: _
```

?? ?????


?Plugins?Update Manager?Schedule Update Download?



??????????



????????????



然後就等著下載吧：↵



?????????

?????????????update manager??

vmware-updateDownloadCli.exe --update-path d:\ --config-import windows esx --vc-user administrator

??


?????????C:\Documents and Settings\All Users\Application Data\VMware\VMware Update Manager\Data
??

ESX server ?host????hostupdate\esx??


??SMS?WSUS??

?? ????baseline


??4?baseline?



????????????????????????????????



???fixed????????????????????




?????????host??Attach Baseline

?




(?????????host?cluster?folder?datacenter)





?? ??????

??host???????




????????????????






?????????



????baselines?



?????updates????????????????

????????????

Remediate

Host Remediation Options
Enter a time to update your host. You can also choose what you would like to do if the host remediation fails.

Baseline and Updates
Host Remediation Options
Ready to Complete

Remediation Time:
Remediate the selected host(s):
 Immediately
 At time: 2008- 2-18 11:40

Failure Options:
The ESX servers must be placed into Maintenance mode, and all running virtual machines shut down or migrated to other hosts before the update can proceed. If the host cannot successfully enter Maintenance mode, the task will respond as specified by the options below.

Failure response: Retry

Retry Delay: 30 minute(s)

Number of retries: 2


Help < Back Next > Cancel

????????????????????????????

Fail Task?Retry?Power off/Shut down virtual machines and retry?Suspend virtual machines and retry?

????????????

??host????????????cluster??DRS????host????????????????host????????????????



然後就會一個一個的打補丁：

Name	Target	Status
Install		27%
Install		✔ Completed
Install		✔ Completed
Enter Maintenance Mo...		✔ Completed

最後自動 reboot：

Name	Target	Status
Reboot Host		✔ Completed
Install		✔ Completed
Install		✔ Completed
Install		✔ Completed
Install		✔ Completed

????????OK?

```
[root@          root]# esxupdate query
Installed software bundles:
----- Name ----- --- Install Date --- --- Summary ---
      3.5.0-64607      10:19:55 01/18/08 Full bundle of ESX 3.5.0-64607
ESX350-200712407-BG    09:34:53 02/18/08 bnx2 driver update
ESX350-200712401-BG    09:35:16 02/18/08 Fix bnx2 issues
ESX350-200712402-SG    09:35:43 02/18/08 samba security update
ESX350-200712403-SG    09:36:03 02/18/08 util-linux security update
ESX350-200712404-SG    09:36:31 02/18/08 perl security update
ESX350-200712405-SG    09:36:52 02/18/08 openssl security update
ESX350-200712406-BG    09:37:10 02/18/08 tzdata update
ESX350-200712409-BG    09:37:29 02/18/08 Incorrect sockets # reported on Tigert
on
ESX350-200712410-BG    09:38:05 02/18/08 hostd crashes during concurrent VMotio
ns
For a differential list of rpms, use the -l/--listrpms option.
```

????????????????????????????????????