

Predictive Dialer

????????

?????

- (??)????????
- ?????????
- ???????
- CRM ?????????

????

- [ICTBroadcast](#)
 - ????????? 50 channels ????? (????????????????)
 - ????????? Asterisk ?????????
- [WombatDialer](#)
 - ????????? 2 channel ????? (????????????????)
 - ????????? Asterisk ?????????
- [SIP Caller](#) (Cloud Hosted)
 - ????? Channel ?????
 - ?????????????????????
- [XactDialer](#)
 - ?????
 - ?????FreePBX ?????

WombatDialer Setup

- Doc: [docs.loway.ch :: Loway Documentation Center](https://docs.loway.ch)
- FAQ: [Frequently Asked Questions | WombatDialer](#)
- Manual Install: https://docs.loway.ch/WombatDialer/050_Sysadmin.html
- GitHub: <https://github.com/Loway/OpenWombatDialerAddOns>

“ It looks like you don't have a working JDBC connection.
WombatDialer requires a working JDBC connection to a MariaDB database
server in order to work properly.

If you have not already done so:

- Create a database for WombatDialer and manually import the sample database
- Edit the file WEB-INF/tpf.properties to enter the database server, user and password WombatDialer will use to connect

Solution:

??? Maridb ???

- ?????
 - ?????
JDBC_URL=jdbc:mariadb://127.0.0.1/wombat?user=wombat&password=dials&autoReconnect=true
 - ????? /usr/local/queuemetrics/webapps/wombat-23.12.1-5/WEB-INF/tpf.properties
- ???????? /usr/local/queuemetrics/webapps/wombat-23.12.1-5/WEB-INF/web.xml
- ??????demoadmin / demo , demouser / demo

WombatDialer JDBC connection tester

It looks like you don't have a working JDBC connection.

WombatDialer requires a working JDBC connection to a MariaDB database server in order to work properly.

If you have not already done so:

- Create a database for WombatDialer and manually import the sample database
- Edit the file WEB-INF/tpf.properties to enter the database server, user and password WombatDialer will use to connect

These steps are explained in greater detail in WombatDialer user manual, available at <http://wombatdialer.com>.

Create WombatDialer database now >>>

This is the current configuration found:

- XML configuration file located at: /usr/local/queuemetrics/webapps/wombat-23.12.1-5/WEB-INF/web.xml
- JDBC URI configured as: jdbc:mariadb://127.0.0.1/wombat?user=wombat&password=dials&autoReconnect=true

Most common JDBC errors are explained in the FAQs, available at <http://wombatdialer.com>.

Revision #17

Created 8 August 2024 11:31:50 by Admin

Updated 17 August 2024 20:53:01 by Admin