

# One-liner Commands

## 1. ???????

```
mkdir -p -v /home/josevnz/tmp/{dir1,anotherdir,similardir}
```

## 2. ???????

```
# With sed
sed -i 's#ORIGINAL_VALLUE#NEW_VALUE#g' myfile1 myfile2

# With perl
perl -p -i -e 's#ORIGINAL#NEW_VALUE#' myfile1 myfile2
```

## 3. ??????????????

```
# Python is required
cd $mydir && python3 -m http.server 8888
```

## 4. ???????????

```
cat<<DOC>/my/new/file
Line1
Line2
A $VARIABLE
DOC
```

## ? Ctrl + D ????

```
cat > testfile
This is a test
multiple lines
and here we go
```

## 5. ??????????????????

```
# With grep
```

```
grep -R 'import' --include='*.java' --color MySourceCodeDir
```

```
# With find
```

```
find MySourceCodeDir/ -name '*.java' -type f -print | xargs \
```

```
grep --color 'import'
```

## 6. ? watch ???????

```
watch -n 5 -d '/bin/free -m'
```

## 7. ????? Git ???

```
for i in */.git; do cd $(dirname $i); git pull; cd ..; done
```

---

Revision #2

Created 13 May 2022 01:13:43 by Admin

Updated 13 May 2022 09:20:44 by Admin