

# patch & diff

????

```
# [ ] [ ] [ ] [ ]
diff -uN old.code new.code > patch.file

# [ ] [ ] [ ] [ ]
patch < patch.file

# [ ] [ ] [ ] [ ]
patch -RE < patch.file
```

??????

```
# [ ] [ ] [ ] [ ]
diff -rupN olddir newdir > patch.dir

# [ ] [ ] [ ] [ ]
patch -p1 < patch.dir

# [ ] [ ] [ ] [ ]
patch -RE -p1 < patch.dir
```

??????????

```
# [ ] [ ]: asterisk_orig/
# [ ] [ ]: asterisk_patched/

cd asterisk_orig; find ./ -name "*.c" -exec md5sum -b {} \; > ../asterisk_orig.md5; cd ../
cd asterisk_patched; find ./ -name "*.c" -exec md5sum -b {} \; > ../asterisk_patched.md5; cd ../

diff asterisk_orig.md5 asterisk_patched.md5

273c273
< 894a111d1efa5901471820e203503039 */channels/chan_sip.c
```

---

```
> 00116baac23473049b5801c9287fb4be */channels/chan_sip.c
```

```
“ ?????? asterisk_orig ? asterisk_patched ??????????????????????????
  asterisk_patched ?????????????? .c ???
```

## diff ? curl ???

```
diff <(curl http://somesite/file1) <(curl http://somesite/file2)
```

## ??????

```
diff -q directory-1/ directory-2/
diff -qr directory-1/ directory-2/
```

## Tutorials

- [Understanding of diff output](#)

---

Revision #7

Created 6 July 2020 03:52:38 by Admin

Updated 22 July 2023 10:06:06 by Admin