

# ANSI Color

????

```
highlight() {  
    mode=$1  
    string="$2"  
    case "$mode" in  
        red)      echo -e "\033[0;101m${string}\033[0m";;  
        green)     echo -e "\033[0;102m${string}\033[0m";;  
        black_yellow) echo -e "\033[33;5;7m${string}\033[0m";;  
        *)         echo $string  
    esac  
}  
  
highlight "green" "Version 1.0.0"
```

## Scripts

```
echo -e "\033[0;0m -- 0 » no style --\033[0;0m"  
echo -e "\033[0;1m -- 1 » white:bolded --\033[0;0m"  
echo -e "\033[0;2m -- 2 » white:dimmed --\033[0;0m"  
echo -e "\033[0;3m -- 3 » white:italic --\033[0;0m"  
echo -e "\033[0;4m -- 4 » white:underline --\033[0;0m"  
echo -e "\033[0;5m -- 5 » white:slow blink --\033[0;0m"  
echo -e "\033[0;6m -- 6 » white:rapid blink --\033[0;0m"  
echo -e "\033[0;7m -- 7 » white background aka 'invert' --\033[0;0m"  
echo -e "\033[0;8m -- 8 » hidden --\033[0;0m"  
echo -e "\033[0;9m -- 9 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;10m -- 10 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;11m -- 11 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;12m -- 12 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;13m -- 13 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;14m -- 14 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;15m -- 15 » white 'alternate font' --\033[0;0m"  
echo -e "\033[0;16m -- 16 » white 'alternate font' --\033[0;0m"
```

```
echo -e "\033[0;17m -- 17 » white 'alternate font' --\033[0;0m"
echo -e "\033[0;18m -- 18 » white 'alternate font' --\033[0;0m"
echo -e "\033[0;19m -- 19 » white 'alternate font' --\033[0;0m"
echo -e "\033[0;20m -- 20 » white:Gothic --\033[0;0m"
echo -e "\033[0;21m -- 20 » white:double underline --\033[0;0m"
echo -e "\033[0;22m -- 20 » white:normal intensity --\033[0;0m"
echo -e "\033[0;23m -- 20 » white:Neither italic, nor blackletter --\033[0;0m"
echo -e "\033[0;24m -- 20 » white:Not underlined --\033[0;0m"
echo -e "\033[0;25m -- 20 » white:Not blinking --\033[0;0m"
echo -e "\033[0;26m -- 20 » white:Proportional spacing --\033[0;0m"
echo -e "\033[0;27m -- 20 » white:Not reversed --\033[0;0m"
echo -e "\033[0;28m -- 20 » white:Reveal --\033[0;0m"
echo -e "\033[0;29m -- 20 » white:Not crossed out --\033[0;0m"
echo -e "\033[0;30m -- 30 » black --\033[0;0m (-- 30 » black --) "
echo -e "\033[0;31m -- 31 » red --\033[0;0m"
echo -e "\033[0;32m -- 32 » green --\033[0;0m"
echo -e "\033[0;33m -- 33 » yellow --\033[0;0m"
echo -e "\033[0;34m -- 34 » blue --\033[0;0m"
echo -e "\033[0;35m -- 35 » magenta --\033[0;0m"
echo -e "\033[0;36m -- 36 » teal --\033[0;0m"
echo -e "\033[0;37m -- 37 » grey --\033[0;0m"
echo -e "\033[0;38m -- 38 » white --\033[0;0m"
echo -e "\033[0;39m -- 39 » white/default color --\033[0;0m"
echo -e "\033[0;40m -- 40 » black background? --\033[0;0m"
echo -e "\033[0;41m -- 41 » red background --\033[0;0m"
echo -e "\033[0;42m -- 42 » green background --\033[0;0m"
echo -e "\033[0;43m -- 43 » yellow background --\033[0;0m"
echo -e "\033[0;44m -- 44 » blue background --\033[0;0m"
echo -e "\033[0;45m -- 45 » magenta background --\033[0;0m"
echo -e "\033[0;46m -- 46 » teal background --\033[0;0m"
echo -e "\033[0;47m -- 47 » grey background --\033[0;0m"
echo -e "\033[0;48m -- 48 » Set background color --\033[0;0m"
echo -e "\033[0;49m -- 49 » default background --\033[0;0m"
echo -e "\033[0;50m -- 50 » Disable proportional spacing --\033[0;0m"
echo -e "\033[0;51m -- 51 » Framed --\033[0;0m"
echo -e "\033[0;52m -- 52 » Encircled --\033[0;0m"
echo -e "\033[0;53m -- 53 » Overlined --\033[0;0m"
echo -e "\033[0;54m -- 54 » Neither framed nor encircled --\033[0;0m"
echo -e "\033[0;55m -- 55 » Not overlined --\033[0;0m"
echo -e "\033[0;56m -- 56 » undefined --\033[0;0m"
```

```
echo -e "\033[0;57m -- 57 » undefined --\033[0;0m"
echo -e "\033[0;58m -- 58 » Set underline color --\033[0;0m"
echo -e "\033[0;59m -- 59 » Default underline color --\033[0;0m"
echo -e "\033[0;60m -- 60 » Ideogram underline or right side line --\033[0;0m"
echo -e "\033[0;61m -- 61 » Ideogram double underline, or double line on the right side --\033[0;0m"
echo -e "\033[0;62m -- 62 » Ideogram overline or left side line --\033[0;0m"
echo -e "\033[0;63m -- 63 » Ideogram double overline, or double line on the left side --\033[0;0m"
echo -e "\033[0;64m -- 64 » Ideogram stress marking --\033[0;0m"
echo -e "\033[0;65m -- 65 » No ideogram attributes --\033[0;0m"
echo -e "\033[0;66m -- 66 » undefined --\033[0;0m"
echo -e "\033[0;67m -- 67 » undefined --\033[0;0m"
echo -e "\033[0;68m -- 68 » undefined --\033[0;0m"
echo -e "\033[0;69m -- 69 » undefined --\033[0;0m"
echo -e "\033[0;70m -- 70 » undefined --\033[0;0m"
echo -e "\033[0;71m -- 71 » undefined --\033[0;0m"
echo -e "\033[0;72m -- 72 » undefined --\033[0;0m"
echo -e "\033[0;73m -- 73 » Superscript --\033[0;0m"
echo -e "\033[0;74m -- 74 » Subscript --\033[0;0m"
echo -e "\033[0;75m -- 75 » Neither superscript nor subscript --\033[0;0m"
echo -e "\033[0;76m -- 76 » undefined --\033[0;0m"
echo -e "\033[0;77m -- 77 » undefined --\033[0;0m"
echo -e "\033[0;78m -- 78 » undefined --\033[0;0m"
echo -e "\033[0;79m -- 79 » undefined --\033[0;0m"
echo -e "\033[0;80m -- 80 » undefined --\033[0;0m"
echo -e "\033[0;81m -- 81 » undefined --\033[0;0m"
echo -e "\033[0;82m -- 82 » undefined --\033[0;0m"
echo -e "\033[0;83m -- 83 » undefined --\033[0;0m"
echo -e "\033[0;84m -- 84 » undefined --\033[0;0m"
echo -e "\033[0;85m -- 85 » undefined --\033[0;0m"
echo -e "\033[0;86m -- 86 » undefined --\033[0;0m"
echo -e "\033[0;87m -- 87 » undefined --\033[0;0m"
echo -e "\033[0;88m -- 88 » undefined --\033[0;0m"
echo -e "\033[0;89m -- 89 » undefined --\033[0;0m"
echo -e "\033[0;90m -- 90 » Set bright foreground color - grey --\033[0;0m"
echo -e "\033[0;91m -- 91 » Set bright foreground color - red --\033[0;0m"
echo -e "\033[0;92m -- 92 » Set bright foreground color - green --\033[0;0m"
echo -e "\033[0;93m -- 93 » Set bright foreground color - yellow --\033[0;0m"
echo -e "\033[0;94m -- 94 » Set bright foreground color - blue --\033[0;0m"
echo -e "\033[0;95m -- 95 » Set bright foreground color - magenta --\033[0;0m"
echo -e "\033[0;96m -- 96 » Set bright foreground color - teal --\033[0;0m"
```

```
echo -e "\033[0;97m -- 97 » Set bright foreground color - white --\033[0;0m"
echo -e "\033[0;98m -- 98 » undefined --\033[0;0m"
echo -e "\033[0;99m -- 99 » undefined --\033[0;0m"
echo -e "\033[0;100m -- 100 » Set bright background color - grey --\033[0;0m"
echo -e "\033[0;101m -- 101 » Set bright background color - red --\033[0;0m"
echo -e "\033[0;102m -- 102 » Set bright background color - green --\033[0;0m"
echo -e "\033[0;103m -- 103 » Set bright background color - yellow --\033[0;0m"
echo -e "\033[0;104m -- 104 » Set bright background color - blue --\033[0;0m"
echo -e "\033[0;105m -- 105 » Set bright background color - magenta --\033[0;0m"
echo -e "\033[0;106m -- 106 » Set bright background color - teal --\033[0;0m"
echo -e "\033[0;107m -- 107 » Set bright background color - white --\033[0;0m"
echo -e "\033[0;108m -- 108 » undefined --\033[0;0m"
echo -e "\033[0;109m -- 109 » undefined --\033[0;0m"
```

---

Revision #2

Created 1 March 2024 17:44:39 by Admin  
Updated 1 March 2024 17:52:54 by Admin