

Installation

Tutorials

- RHEL7/8:
https://www.zabbix.com/documentation/current/manual/installation/install_from_packages/rhel_centos
- [How To Install Zabbix Server 5.0 on CentOS 7](#)

Platform to install

Zabbix Version	5.0 LTS
OS Distribution	CENTOS
OS Version	7
Database	MySQL
Web Server	Apache

Prerequisites

php 7.2

Zabbix frontend requires PHP version **7.2 or newer** starting with Zabbix 5.0. Note that RHEL/CentOS 7 only provide PHP 5.4. So don't install the php for pre-installed version on system.

Step 1: Install and Configure Apache httpd server

```
yum install httpd
systemctl start httpd
systemctl enable httpd
```

Step 2: Install MariaDB Database server

Remove MariaDB 5.x

```
systemctl stop mariadb
yum remove mariadb mariadb-server mariadb-libs
```

Add new MariaDB repository

https://downloads.mariadb.org/mariadb/repositories/#mirror=mephi&distro=CentOS&distro_release=centos7-amd64--centos7

```
vi /etc/yum.repos.d/mariadb.repo
```

```
# MariaDB 10.5 CentOS repository list - created 2020-08-17 13:04 UTC
# http://downloads.mariadb.org/mariadb/repositories/
[mariadb]
name = MariaDB
baseurl = http://yum.mariadb.org/10.5/centos7-amd64
gpgkey=https://yum.mariadb.org/RPM-GPG-KEY-MariaDB
gpgcheck=1
```

Install MariaDB

```
yum clean all
yum install MariaDB-server MariaDB-client
```

Config MariaDB

```
vi /etc/my.cnf.d/server.cnf
```

```
[mysqld]
datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock
log-error=/var/log/mariadb/mariadb.log
```

???

```
mkdir /var/log/mariadb
chown mysql:mysql /var/log/mariadb
```

Start MariaDB

```
systemctl start mariadb
systemctl enable mariadb
```

Initial DB Configuration and set password for root

```
mysql_secure_installation
```

Step 3: Install and configure Zabbix server

a. Install Zabbix repository

```
# rpm -Uvh https://repo.zabbix.com/zabbix/5.0/rhel/7/x86_64/zabbix-release-5.0-1.el7.noarch.rpm  
# yum clean all
```

b. Install Zabbix server and agent

```
# yum install zabbix-server-mysql zabbix-agent zabbix-get
```

c. Install Zabbix frontend

Enable Red Hat Software Collections

```
# yum install centos-release-scl
```

Install Zabbix frontend packages.

This step will install the php 7.2 packages required for Zabbix.

```
# yum-config-manager --enable zabbix-frontend  
# yum install zabbix-web-mysql-scl zabbix-apache-conf-scl
```

?????? yum-config-manager??????????????

```
yum --enablerepo=zabbix-frontend
```

d. Create initial database

Run the following on your database host.

```
# mysql -uroot -p <<MYSQL_EOF  
create database zabbix character set utf8 collate utf8_bin;  
create user zabbix@localhost identified by 'thisispassword';  
grant all privileges on zabbix.* to zabbix@localhost;  
MYSQL_EOF
```

On Zabbix server host import initial schema and data. You will be prompted to enter your newly created password.

```
# zcat /usr/share/doc/zabbix-server-mysql*/create.sql.gz | mysql -uzabbix -p zabbix
```

e. Configure the database for Zabbix server

Edit file `/etc/zabbix/zabbix_server.conf`

```
DBName=zabbix
DBUser=zabbix
DBPassword=password
```

f. Configure PHP for Zabbix frontend

Edit file `/etc/opt/rh/rh-php72/php-fpm.d/zabbix.conf`, uncomment and set the right timezone for you.

```
php_value[date.timezone] = Asia/Taipei
```

g. Start Zabbix server and agent processes

Start Zabbix server and agent processes and make it start at system boot.

```
# systemctl restart zabbix-server zabbix-agent httpd rh-php72-php-fpm
# systemctl enable zabbix-server zabbix-agent httpd rh-php72-php-fpm
```

h. Configure Zabbix frontend

Connect to your newly installed Zabbix frontend: `http://server_ip_or_name/zabbix`

[zabbix-install-home.png](#)

Optional: Other Zabbix components Installation

Zabbix-Proxy

```
yum install zabbix-proxy-mysql
```

Java Gateway

```
yum install zabbix-java-gateway
```

Revision #22

Created 16 August 2020 04:04:41 by Admin

Updated 23 August 2020 03:03:33 by Admin