

Cybersecurity

????

- [OpenVAS](#)
- [Nessus](#)
- [Learning](#)
- [Security Vulnerability Websites](#)
- [Cyber Attacks](#)
- [Suricata](#)
- [Snort](#)
- [VirusTotal](#)

OpenVAS

Installation

Docker

- Docker Hub: <https://hub.docker.com/repository/docker/immauss/openvas>
- <https://immauss.github.io/openvas/>

```
mkdir openvas-data
docker run -d -p 9392:9392 -e PASSWORD="Your admin password here" -v $(pwd)/openvas-data:/data --name
openvas immauss/openvas
```

Kali Linux

- [Install OpenVAS on Kali Linux](#)

HowTo

?? Feed

- <https://community.greenbone.net/t/how-to-update-keep-the-feed-up-to-date/1431>
- <https://kenwu0310.wordpress.com/2019/09/17/openvas-%E6%87%89%E7%94%A8%E6%9B%B4%E6%96%B0%E6%BC%8F%E6%B4%9E%E5%AE%9A%E7%BE%A9/>

Nessus

Tutorials

- [How to Install and Configure Nessus Vulnerability Scanner on Kali Linux](#)
- [How to install, configure and use Nessus Vulnerability Scanner on CentOS 8](#)
- [Plugin ??????](#)

?????

- ??????? 90 ????????
- ?? 90 ????????????????????????????????? 16 ??? IP ?????
- ??????? IP ????????????????? High(?) ????????? IP ?????

Installation

Install on RedHat 8

1. ?????? [Nessus Essentials](#) ???????
2. ????? Nessus ??? `Nessus-10.1.2-es8.x86_64.rpm` ?
3. ??????? `dnf update` ?
4. ?? RPM ? `rpm -ivh Nessus-10.1.2-es8.x86_64.rpm` ?
5. ??? `https://server.ip:8834` ?
6. ?????????????????
7. ???

Install with the docker

DockerHub: <https://hub.docker.com/r/tenableofficial/nessus>

```
docker pull tenableofficial/nessus:<version>
```

```
docker run --name "nessus-pro" -d -p 8834:8834 -e ACTIVATION_CODE=<activation code> \
-e USERNAME=admin -e PASSWORD=admin tenableofficial/nessus:<version>
```

Update the Nessus ???

Offline

1. ?????? Nessus : [Download Nessus | Tenable®](#)

NOTE: ???????? RPM ?????????? RPM ???

2. ???????? Nessus ??????????????

? RPM ????

```
rpm -Uvh Nessus-10.4.1-es8.x86_64.rpm  
systemctl stop nessusd  
systemctl start nessusd
```

Online

```
/opt/nessus/sbin/nessuscli update
```

??????

Nessus Admin > Settings > About

Update the plugins

Online

```
/opt/nessus/sbin/nessuscli update --plugins-only
```

Offline

- [Install Nessus and Plugins Offline \(with pictures\) - InfosecMatter](#)
- [Offline Update Page Details \(Nessus\) \(tenable.com\)](#)
- [Install Plugins Manually \(Nessus\) \(tenable.com\)](#)

For ??????

“ NOTE: ??? activation code ?????????????? plugin ??????????????????
activation code???????????????? plugin ??????

1. ??????? [Activation Code](#) (NOTE: ??????????????????????)
2. ??? Nessus ??? Challenge Code
3. ?????????????????????????? plugin ??????: <https://plugins.nessus.org/v2/offline.php>
(TIP: ?????? plugin ??? `all-2.0.tar.gz` ??????????????????????)

?? Challenge Code

```
/opt/nessus/sbin/nessuscli fetch --challenge
```

? plugin ??????????

```
/opt/nessus/sbin/nessuscli update all-2.0.tar.gz
```

?? plugin ???

Nessus Admin > Settings > About

- Last Updated: ??????
- Plugin Set: ??????
- Policy Template version: ??????

?????

1. ????????????????????????????????????? CPU ?????????????????
2. ?? scan ?????? plugin????????????????????

??????

??????????

- [Generating the Custom URL for downloading plugins for an Offline Nessus Installation \(tenable.com\)](#)
- [Manage Nessus Offline \(Nessus\) \(tenable.com\)](#)

FAQ

?? plugin ????

“ Error: failed to write decompressed tar archive * Failed to update from all-2.0.new.tar.gz. Invalid manifest.

????????? /opt/nessus ???????????

?? plugin #51192(SSL Certificate Cannot Be Trusted)

???????????????????? custom_CA ?????????????? Nessus ???

“ TIP: ?????? PEM ?? BAS64 ?????????? -----BEGIN CERTIFICATE-----
?????? -----END CERTIFICATE----- ??????

Nessus Web > Settings > Custom CA

-----BEGIN CERTIFICATE-----

...

...

...

-----END CERTIFICATE-----

Learning

Government sites

- [????? Administration for Cyber Security, moda](#)
- [?????????? - ?? \(nat.gov.tw\)](#)
- [TWCERT/CC????????????????](#)

Security sites

??	????
shodan.io	????????????????
censys.io	????????????????
hunter.io	????????????????
fullhunt.io	????????????????
onyphe.io	????????????????
socradar.io	????????????????
binaryedge.io	????????????????
ivre.rocks	??????????
crt.sh	?????SSL/TLS???????
vulners.com	????????????????
publicwww.com	???????,????????????????
pulsedive.com	????????????????
intelx.io	???????(OSINT)???????
wigle.net	???????????????
viz.greynoise.io	????????????????

Security Platform

- [Kali Linux](#)
- [ParrotOS](#)

Threat Intelligence

Detection & Analysis Tools

- [VirusTotal](#) is a service that allows anyone to analyze suspicious files, domains, URLs, and IP addresses for malicious content. VirusTotal also offers additional services and tools for enterprise use.
- [Jotti's malware scan](#) is a free service that lets you scan suspicious files with several antivirus programs. There are some limitations to the number of files that you can submit.
- [Urlscan.io](#) is a free service that scans and analyzes URLs and provides a detailed report summarizing the URL information.
- [MalwareBazaar](#) is a free repository for malware samples. Malware samples are a great source of threat intelligence that can be used for research purposes.

Security Tools

- [10 Top Open Source Penetration Testing Tools](#)
- [OSV-Scanner](#)
- [5 Tools to Scan a Linux Server for Malware and Rootkits \(tecmint.com\)](#)

- Wazuh - The Open Source Security Platform

- <https://wazuh.com/>
- [Video] [this Cybersecurity Platform is FREE](#)
- [Video] [you need this FREE CyberSecurity tool](#)

- Web Check

All-in-one OSINT tool for analysing any website

- [Web Check \(web-check.xyz\)](#)
- GitHub: <https://github.com/Lissy93/web-check>

- OWASP - Nettacker

Automated Penetration Testing Framework (?????????)

- [OWASP/Nettacker: Automated Penetration Testing Framework](#)

- WAF: Web Application Firewall

- [GoTestWAF](#)
- [Test and evaluate your WAF before hackers](#)

- Pi-Alert: WiFi/LAN ??????

- [Pi.Alert](#)
- [Video] [Pi Alert - Open Source, Self Hosted, Network Device Change Notification and Intrusion Detection](#)

- WatchYourLAN

- GitHub: <https://github.com/aceberg/WatchYourLAN>

Security Vulnerability Websites

CVE Database

- <https://www.cve.org/> (Formerly: <https://cve.mitre.org>)
- <https://nvd.nist.gov/> (CVSS Database)
- <https://www.cvedetails.com/>
- <https://access.redhat.com/security/security-updates/#/cve>
- <https://www.kb.cert.org/vuls/> (CERT/CC Vulnerability Notes Database)

Vendor

- RedHat: <https://access.redhat.com/security>
- iThome: <https://www.ithome.com.tw/security>
- HPE: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00001284en_us
- IBM: <https://www.ibm.com/trust/security-psirt>
- vmware: <https://www.vmware.com/security/advisories.html>
- Cisco: <https://sec.cloudapps.cisco.com/security/center/publicationListing.x>
- HCL Notes:
https://support.hcltechsw.com/csm?id=community_topic&sys_id=d1514ac91be8cc5c83cb86e9cd4bcba8
- Ubuntu: <https://ubuntu.com/security/cves>
- Debian: <https://security-tracker.debian.org/tracker/>
- Microsoft: <https://msrc.microsoft.com/update-guide/vulnerability>
- Apple: <https://support.apple.com/en-us/HT201222>
- Google Cloud: <https://cloud.google.com/support/bulletins>

Government

- [??????????????? TWCERT/CC](https://www.twcert.org/)
- [????????? \(TVN\)](https://www.tvn.gov.tw/)
- [????????? Virus Check](https://www.viruscheck.gov.tw/)

- [?????????????](#)
- [????????????\(?\)](#)
- [????????????\(?\)](#)
- [US. CISA](#)
- [US. NIST National Vulnerability Database](#)

NGO


- [No More Ransom](#)

Cyber Attacks

Top 8 Cyber Attacks – 2024

Phishing Attack

- 1 The use of deceptive emails, texts, or websites to gain sensitive information.




Ransomware

- 2 Malware that can encrypt data and make you pay to get them back.



Denial-of-Service (DoS)

- 3 Loading excessive load on a machine or network so that it stops working normally.




Man-in-the-Middle (MitM)

- 4 Engaging in covert interception and manipulation of communication between two parties without noticing it.



SQL Injection

- 5 To get the Access to the database, Vulnerabilities in Database queries can be exploited



Cross-Site Scripting (XSS)

- 6 Putting malicious code into websites that other people visit.



Zero-Day Exploits

- 7 Attacks take advantage of unknown vulnerabilities before programmers can fix them.



DNS Spoofing

- 8 Sending DNS queries to malicious sites so that they can be accessed without permission.



Suricata

Introduction

Suricata is a high performance, open source network analysis and threat detection software used by most private and public organizations, and embedded by major vendors to protect their assets.

Suricata is far more than an IDS/IPS.

- [Home - Suricata](#)
- [??Suricata???? ???????????? | ??? \(netadmin.com.tw\)](#)

Suricata features

There are three main ways Suricata can be used:

- **Intrusion detection system (IDS):** As a network-based IDS, Suricata can monitor network traffic and alert on suspicious activities and intrusions. Suricata can also be set up as a host-based IDS to monitor the system and network activities of a single host like a computer.
- **Intrusion prevention system (IPS):** Suricata can also function as an intrusion prevention system (IPS) to detect and block malicious activity and traffic. Running Suricata in IPS mode requires additional configuration such as enabling IPS mode.
- **Network security monitoring (NSM):** In this mode, Suricata helps keep networks safe by producing and saving relevant network logs. Suricata can analyze live network traffic, existing packet capture files, and create and save full or conditional packet captures. This can be useful for forensics, incident response, and for testing signatures. For example, you can trigger an alert and capture the live network traffic to generate traffic logs, which you can then analyze to refine detection signatures.

Signatures (Rules)

Suricata uses **signatures analysis**, which is a detection method used to find events of interest. Signatures consist of three components:

- **Action:** The first component of a signature. It describes the action to take if network or system activity matches the signature. Examples include: alert, pass, drop, or reject.
- **Header:** The header includes network traffic information like source and destination IP addresses, source and destination ports, protocol, and traffic direction.

- **Rule options:** The rule options provide you with different options to customize signatures.

Here's an example of a Suricata signature:

Action	Header	Rule options
alert	tcp 10.120.170.17 any -> 133.113.202.181 80	(msg: "Hello"; sid:1234; rev:1;)

```
alert http $HOME_NET any -> $EXTERNAL_NET any (msg:"GET on wire"; flow:established,to_server;
content:"GET"; http_method; sid:12345; rev:3;)
```

Action

Note that the `drop` action also generates an alert, but it drops the traffic. A `drop` action only occurs when Suricata runs in IPS mode.

The `pass` action allows the traffic to pass through the network interface. The pass rule can be used to override other rules. An exception to a drop rule can be made with a pass rule. For example, the following rule has an identical signature to the previous example, except that it singles out a specific IP address to allow only traffic from that address to pass:

```
pass http 172.17.0.77 any -> $EXTERNAL_NET any (msg:"BAD USER-
AGENT";flow:established,to_server;content:! "Mozilla/5.0"; http_user_agent; sid: 12365; rev:1;)
```

The `reject` action does not allow the traffic to pass. Instead, a TCP reset packet will be sent, and Suricata will drop the matching packet. A TCP reset packet tells computers to stop sending messages to each other.

Note: Rule order refers to the order in which rules are evaluated by Suricata. Rules are loaded in the order in which they are defined in the configuration file. However, Suricata processes rules in a different default order: pass, drop, reject, and alert. Rule order affects the final verdict of a packet.

Header

`$HOME_NET` is a Suricata variable defined in `/etc/suricata/suricata.yaml` that you can use in your rule definitions as a placeholder for your local or home network to identify traffic that connects to or from systems within your organization.

Rule options

- The `msg:` option provides the alert text. In this case, the alert will print out the text `"GET on wire"`, which specifies why the alert was triggered.
- The `flow:established,to_server` option determines that packets from the client to the server should be matched. (In this instance, a server is defined as the device responding to the initial SYN packet with a SYN-ACK packet.)
- The `content:"GET"` option tells Suricata to look for the word `GET` in the content of the `http.method` portion of the packet.
- The `sid:12345` (signature ID) option is a unique numerical value that identifies the rule.
- The `rev:3` option indicates the signature's revision which is used to identify the signature's version. Here, the revision version is 3.

Configuration file

Configuration files let you customize exactly how you want your IDS to interact with the rest of your environment.

Suricata's configuration file is `suricata.yaml`, which uses the YAML file format for syntax and structure.

Log files

There are two log files that Suricata generates when alerts are triggered:

- **eve.json:** The `eve.json` file is the standard Suricata log file. This file contains detailed information and metadata about the events and alerts generated by Suricata stored in JSON format. For example, events in this file contain a unique identifier called `flow_id` which is used to correlate related logs or alerts to a single network flow, making it easier to analyze network traffic. The `eve.json` file is used for more detailed analysis and is considered to be a better file format for log parsing and SIEM log ingestion.
- **fast.log:** The `fast.log` file is used to record minimal alert information including basic IP address and port details about the network traffic. The `fast.log` file is used for basic logging and alerting and is considered a legacy file format and is not suitable for incident response or threat hunting tasks.

The main difference between the `eve.json` file and the `fast.log` file is the level of detail that is recorded in each. The `fast.log` file records basic information, whereas the `eve.json` file contains additional verbose information.

Trigger a custom rule

With a packet capture file

- The `-r sample.pcap` option specifies an input file to mimic network traffic. In this case, the `sample.pcap` file.
- The `-S custom.rules` option instructs Suricata to use the rules defined in the `custom.rules` file.
- The `-k none` option instructs Suricata to disable all checksum checks.

```
sudo suricata -r sample.pcap -S custom.rules -k none
```

Check the logs

```
# For fast.log
cat /var/log/suricata/fast.log

# For eve.log, using jq command to display the JSON format
jq . /var/log/suricata/eve.json | less
jq -c "[.timestamp,.flow_id,.alert.signature,.proto,.dest_ip]" /var/log/suricata/eve.json
jq "select(.flow_id==1200997752018164)" /var/log/suricata/eve.json
```

Resources

- [Suricata user guide](#)
- [Suricata features](#)
- [Rule management](#)
- [Rule performance analysis](#)
- [Suricata threat hunting webinar](#)
- [Introduction to writing Suricata rules](#)
- [Eve.json jq examples](#)

Snort

Introduction

Snort is the foremost Open Source Intrusion Prevention System (IPS) in the world. Snort IPS uses a series of rules that help define malicious network activity and uses those rules to find packets that match against them and generates alerts for users.

- [Snort - Network Intrusion Detection & Prevention System](#)
- [\[Day18\] ????????????Snort ??????? - iT ????:???????????? IT ????\(ithome.com.tw\)](#)

VirusTotal

Analyse suspicious files, domains, IPs and URLs to detect malware and other breaches, automatically share them with the security community.

URL: <https://www.virustotal.com/>

Analyze the report

1. **Detection:** This tab provides a list of third-party security vendors and their detection verdicts on an artifact. Detection verdicts include: malicious, suspicious, unsafe, and others. Notice how many security vendors have reported this hash as malicious and how many have not.
2. **Details:** This tab provides additional information extracted from a static analysis of the IoC. Notice the additional hashes associated with this malware like MD5, SHA-1, and more.
3. **Relations:** This tab contains information about the network connections this malware has made with URLs, domain names, and IP addresses. The **Detections** column indicates how many vendors have flagged the URL or IP address as malicious.
4. **Behavior:** This tab contains information related to the observed activity and behaviors of an artifact after executing it in a controlled environment, such as a sandboxed environment. A sandboxed environment is an isolated environment that allows a file to be executed and observed by analysts and researchers. Information about the malware's behavioral patterns is provided through sandbox reports. Sandbox reports include information about the specific actions the file takes when it's executed in a sandboxed environment, such as registry and file system actions, processes, and more. Notice the different types of tactics and techniques used by this malware and the files it created.

“ **Pro tip:** Sandbox reports are useful in understanding the behavior of a file, but they might contain information that is not relevant to the analysis of the file. By default, VirusTotal shows all sandbox reports in the Behavior tab. You can select individual sandbox reports to view. This is helpful because you can view the similarities and differences between reports so that it's easier to identify which behaviors are likely to be associated with the file.

Determine whether the file is malicious

- The **Vendors' ratio** is the metric widget displayed at the top of the report. This number represents how many security vendors have flagged the file as malicious over all. A file with a high number of vendor flags is more likely to be malicious.

- The **Community Score** is based on the collective inputs of the VirusTotal community. The community score is located below the vendor's ratio and can be displayed by hovering your cursor over the red **X**. A file with a negative community score is more likely to be malicious.
- Under the **Detection** tab, the **Security vendors' analysis** section provides a list of detections for this file made by security vendors, like antivirus tools. Vendors who *have not* identified the file as malicious are marked with a checkmark. Vendors who *have* flagged the file as malicious are marked with an exclamation mark. Files that are flagged as malicious might also include the name of the malware that was detected and other additional details about the file. This section provides insights into a file's potential maliciousness.

Review these three sections to determine if there is a consistent assessment of the file's potential maliciousness such as: a high vendors' ratio, a negative community score, and malware detections in the security vendors' analysis section.

Screenshots



61
/ 74

Community Score -209

61/74 security vendors flagged this file as malicious

54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b

Size 430.00 KB

Last Analysis Date 14 hours ago

EXE

peexe spreader checks-user-input runtime-modules service-scan long-sleeps detect-debug-environment direct-cpu-clock-access

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 28 +

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Popular threat label trojan.flagpro/fragtor

Threat categories trojan

Family labels flagpro fragtor busyice

Security vendors' analysis

Do you want to automate checks?

AhnLab-V3	Malware/Win32.Generic.C4209910	Alibaba	Backdoor:Win32/Kryptik.8648de52
AliCloud	Backdoor:Win/FlagPro.B	ALYac	Trojan.Agent.Flagpro
Antiy-AVL	Trojan[APT]/Win32.Blacktech	Arcabit	Trojan.Fragtor.D5A915
Avast	Win32:Malware-gen	AVG	Win32:Malware-gen
Avira (no cloud)	HEUR/AGEN.1312459	BitDefender	Gen:Variant.Fragtor.370965
Bkav Pro	W32.AIDetectMalware	CrowdStrike Falcon	Win/malicious_confidence_100% (W)
CTX	Exe.trojan.flagpro	Cybereason	Malicious.e29b71
Cybereason	Heur/Malware	Cybereason	Malicious (score:90)

61
/ 74

Community Score -209

61/74 security vendors flagged this file as malicious

54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b

Size 430.00 KB

Last Analysis Date 14 hours ago

EXE

peexe spreader checks-user-input runtime-modules service-scan long-sleeps detect-debug-environment direct-cpu-clock-access

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 28 +

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Basic properties

MD5	287d612e29b71c90aa54947313810a25
SHA-1	8f35a9e70dbec8f1904991773f394cd4f9a07f5e
SHA-256	54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b
Vhash	045056655d15551023z12z577z305bz2fz
Authentihash	019439328ea87e4559b653ad7df933d20623bdd00d3793abc7ff35e57db24853
Imphash	a59ed1599cc2f8311b215c83c51a2cc4
Rich PE header hash	1f4064adca28866f7447aaf031074807
SSDEEP	6144:CdaRD0n4URr6zIKgDCVh84DLn5X3IWiDSVS1dGSLaYWis:XRonpRrolKgDCY4DLVIW3UiSL4R
TLSH	T13594AD933541C371CA177D7695789AAD4B3F8D3816BAB987B3B83B8F5C303918636902
File type	Win32 EXE executable windows win32 pe peexe
Magic	PE32 executable (GUI) Intel 80386, for MS Windows
TrID	Win32 Executable MS Visual C++ (generic) (47.3%) Win64 Executable (generic) (15.9%) Win32 Dynamic Link Library (generic) (9.9%) Win16 NE executable (generic) (7...
DetectItEasy	PE32 Compiler: EP:Microsoft Visual C/C++ (2008-2010) [EXE32] Compiler: Microsoft Visual C/C++ (15.00.21022) [LTCG/C++] Linker: Microsoft Linker (9.00.21022) To...
Magika	PEBIN
File size	430.00 KB (440320 bytes)

History

61
/ 74

Community Score -209

61/74 security vendors flagged this file as malicious

Reanalyze Similar More

54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b

Size 430.00 KB

Last Analysis Date 14 hours ago

EXE

peexe

spreader

checks-user-input

runtime-modules

service-scan

long-sleeps

detect-debug-environment

direct-cpu-clock-access

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 28 +

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Contacted URLs (48)

Scanned	Detections	Status	URL
2024-09-11	0 / 96	200	https://fonts.gstatic.com/s/roboto/v18/KFOmCnqEu92Fr1Mu4mxM.woff
2020-10-01	0 / 79	204	https://adservice.google.co.kr/adsid/google/ui?gadsid=AORoGNQnZAiuepi25VY6PFgl8cBBb6AEat1DDBVoE64OR_B59e5p_XMQw
2024-09-07	10 / 96	-	http://org.misecure.com/index.html
2023-06-17	0 / 90	200	http://ctldl.windowsupdate.com/msdownload/update/v3/static/trustedr/en/disallowedcertstl.cab?a98a5653de4a653b
			https://www.gstatic.com/_/mss/boq-one-google/_/js/k=boq-one-google.OneGoogleWidgetUi.en.Hxft6mc0-Jc.es5.O/ck=boq-one-google.OneGoogleWidgetUi.clsPKJSGdK4.L.I11.O/am=QHww0Gw/d=1/exm=FCpbqb,WhJNk,Wt6vjf,_b_tp,hhhU8,ws9Tlc/excm=_b_tp,calloutvi
			ew/ed=1/wt=2/ujs=1/rs=AM-SdHuyyndWAIinQZBQEqMMXhOMcoBUKQ/ee=EVNhjf:pw70Gc;EmZ2Bf:zr1jrb;ErI4fe:FloWmf;JsbNhc:Xd8iUd;LBgRLc:SdcwHb;Me32dd:MEeYgc;N
			PKaK:SdcwHb;NSEoX:lazG7b;Oj465e:KG2eXe;Pjplud:EEDORb;QGR0gd:Mihmy;SNUn3:ZwDk9d;a56pNe:JEfCwb;cEt90b:ws9Tlc;dloSBB:SpsfSb;eB
			AeSb:zbML3c;IFQyKf:QlhFr;io8t5d;yDVVkb;kMFpHd:OTA3Ae;nAFL3:s39S4;oGtAuc:sOXFj;pXdRYb:MdUzUe;qddgKe:xQtZb;sP4Vbe:VwDzFe;uY49fb:
			COQbm;ul9Ggd:VDovNc;wR5FRb:O1Gjze;xqZiqf:wmnU7d;yxTchf:KUM7Z;zxnPse:GkRiKb/m=n73qwf,GkRiKb,e5qFLc,JZT63,UUJqVe,O1Gjze,byfT
			Ob,lsjVmc,xUdipf,OTA3Ae,COQbm,f,KUV3e,aurFic,U0aPgD,ZwDk9d,V3dDOb,ml3LFb,yYB61,O6y8ed,PrPYRd,MpJwZc,LEikZe,NwH0H,Omgal,lazG7
			b,XVMNvd,L1AAkb,KUM7Z,Mihmy,s39S4,lwddkf,gychg,w9hDv,EEDORb,RMhBfe,SdcwHb,aW3pY,pw70Gc,EFQ78c,Ulmmrd,ZfAoz,mdR7q,wmnU7d
			,xQtZb,JNoxi,kWgXee,MI6k7c,kjKdXe,BVgquf,QlhFr,ovKuLd,hKSk3e,yDVVkb,hc6Ubd,SpsfSb,KG2eXe,Z5uLle,MdUzUe,VwDzFe,zbML3c,A7fCU,zr1jr
			b,Uas9Hd,pjICDe
2024-08-25	0 / 96	404	http://www.gstatic.com:443/
2024-03-07	0 / 96	200	http://www.gstatic.com/roboto/v18/KFOmCnqEu92Fr1Mu4mxM.woff

61
/ 74

Community Score -209

61/74 security vendors flagged this file as malicious

Reanalyze Similar More

54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b

Size 430.00 KB

Last Analysis Date 14 hours ago

EXE

peexe

spreader

checks-user-input

runtime-modules

service-scan

long-sleeps

detect-debug-environment

direct-cpu-clock-access

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 28 +

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

☒ Display grouped sandbox reports

<input checked="" type="checkbox"/> C2AE	0 0 0 0 0 0	<input checked="" type="checkbox"/> CAPA	0 4 0 0 0 0
<input checked="" type="checkbox"/> CAPE Sandbox	1 9 1 0 27 23	<input checked="" type="checkbox"/> DAS-Security Orcas	1 3 0 0 8 5
<input checked="" type="checkbox"/> Microsoft Sysinternals	0 0 0 0 99+ 99+	<input checked="" type="checkbox"/> Rising MOVES	0 0 0 0 0 7
<input checked="" type="checkbox"/> Sangfor ZSand	0 0 0 0 99+ 6	<input checked="" type="checkbox"/> Tencent HABO	0 0 0 0 0 0
<input checked="" type="checkbox"/> VenusEye Sandbox	0 0 0 0 2 3	<input checked="" type="checkbox"/> VirusTotal Cuckoofork	0 0 0 0 0 5
<input checked="" type="checkbox"/> VirusTotal Jujubox	0 0 0 0 99+ 99+	<input checked="" type="checkbox"/> VirusTotal Observer	0 0 0 0 0 0

61
/ 74

Community Score -209

61/74 security vendors flagged this file as malicious

Reanalyze

Similar

More

54e6ea47eb04634d3e87fd7787e2136ccfbcc80ade34f246a12cf93bab527f6b

Size
430.00 KB

Last Analysis Date
14 hours ago

EXE

peexe

spreader

checks-user-input

runtime-modules

service-scan

long-sleeps

detect-debug-environment

direct-cpu-clock-access

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 28+

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Contained in Graphs (13)

GabrielML

Activity: Investigate a suspicious file hash

2024-08-31 17:49:20

GabrielML

Activity: Investigate a suspicious file hash

2024-08-31 17:49:20

casmic6022

Hyjack webview

2024-06-22 22:59:31

carbonator

TestGraph

2024-05-29 19:32:02

skyline30007

loc Pyramid of Pain

2024-05-22 16:52:21

skyline30007

loc Pyramid of Pain

2024-05-22 16:52:21

JakeMosesBrownl...

iPhone bios update download

2024-02-20 20:56:04

starface

trap.teams.microsoftonline.cn

2023-10-14 11:44:01

starface

Copy of trap.teams.microsoftonline.cn

2023-10-14 11:43:49

starface

trap.teams.microsoftonline.cn

2023-10-14 11:36:06