

Virtualization

Hypervisor

- [Oracle Virtualization](#)
 - [FAQ](#)
 - [Oracle VM Server for x86](#)
 - [Oracle Linux KVM](#)
- [Proxmox](#)
- [XCP-ng](#)
- [VMware](#)
 - [Import Virtualbox ova Image](#)
 - [ESXi Bug Fix & Upgrade](#)
 - [ESXi Commands](#)
 - [vCenter Patch](#)
 - [vCenter ??](#)
 - [vCenter Converter](#)
- [XenServer \(Citrix Hypervisor\)](#)
- [VirtualBox](#)
 - [Tips](#)
 - [Command Line](#)
- [KVM/QEMU](#)

Oracle Virtualization

Oracle VM ??????Oracle???????????????????????????????? Xen ?????????????????Oracle
????????????????

FAQ

Log ??

Log Files

????: /u01/app/oracle/ovm-manager-3/domains/ovm_domain/servers/AdminServer/logs/

- **access.log:** Used to track HTTP access to the Web interface of the Oracle VM Manager and to the underlying Oracle WebLogic Server HTTP interface. This log can be used to track access and HTTP operations within Oracle VM Manager to help debug access issues and to audit access to the Oracle VM Manager.
- **AdminServer.log:** Used to track events within the underlying Oracle WebLogic Server framework, including events triggered by Oracle VM Manager. This log can be used to track a variety of issues within Oracle VM Manager including TLS/SSL certificate issues, server availability issues, and any actions performed within Oracle VM Manager which are usually identifiable by searching for items containing the string com.oracle.ovm.mgr. Log in failures resulting from locked accounts (as opposed to incorrect credentials) are also in this file.
- **AdminServer-diagnostic.log:** Used to track exceptions within the underlying Oracle WebLogic Server framework, including particular events triggered by Oracle VM Manager such as log in failures due to incorrect credentials. This log can be used to track Oracle VM Manager behavior that results in an exception or for log in failure, which can be tracked by searching for the string An incorrect username or password was specified.

Log Parsing Tool: OvmLogTool.py

????: /u01/app/oracle/ovm-manager-3/ovm_tools/

?? AdminServer.log ?????????????????? log ???

```
cd /u01/app/oracle/ovm-manager-3/ovm_tools/
python OvmLogTool.py -s -o ~/ovm_logs/summary.`date +%y%m%d_%H%M`
```

- ???????????? ~/ovm_logs/summary.<today_now>
- -s , ???? Error ??? Log; ?????????? Log?

??? AdminServer.out ??????????

```
?????: /u01/app/oracle/ovm-manager-3/domains/ovm_domain/servers/AdminServer/logs/AdminServer.out
```

????

```
service ovmm stop
cat /dev/null > /u01/app/oracle/ovm-manager-3/domains/ovm_domain/servers/AdminServer/logs/AdminServer.out
service ovmm start
```

?????? OVMM ?????

```
“ ?? /u01/app/oracle/ovm-manager-3/ovm_tools/bin/BackupDatabase -w
mysqlbackup: WARNING: The value of 'innodb_checksum_algorithm'
option provided to mysqlbackup might be incompatible with server config.
```

```
mysqlbackup: ERROR: Page at offset 5242880 in
/u01/app/oracle/mysql/data/appfw/APPFW_EVENTS.ibd seems corrupt!
```

Solution:

1. ????? APPFW_EVENTS ?????
2. ?????????????????
3. ?????????????????
4. ???????

???????

```
mysqlcheck -uroot -p -S /u01/app/oracle/mysql/data/mysql.sock --databases appfw
```

```
mysql -u appfw -p -S /u01/app/oracle/mysql/data/mysql.sock appfw
```

```
mysql> select count(*) from APPFW_EVENTS;
```

```
+-----+
```

```
| count(*) |
```

```
+-----+
```

```
| 18650 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

?? table APPFW_EVENTS

```

service ovmm stop

mysqldump -uappfw -p -S /u01/app/oracle/mysql/data/mysql.sock --databases appfw --tables APPFW_EVENTS >
table_dump.appfw_events.sql

mysql -u appfw -p -S /u01/app/oracle/mysql/data/mysql.sock appfw
mysql> create table APPFW_EVENTS_NEW like APPFW_EVENTS;
mysql> rename table APPFW_EVENTS to APPFW_EVENTS_OLD;
mysql> rename table APPFW_EVENTS_NEW to APPFW_EVENTS;

// Import the table
mysql -uappfw -p -S /u01/app/oracle/mysql/data/mysql.sock appfw < table_dump.appfw_events.sql

// Drop the old table
mysql -u appfw -p -S /u01/app/oracle/mysql/data/mysql.sock appfw
mysql> drop table APPFW_EVENTS_OLD;

```

OVMM ??? MySQL DB ????????

```

“ ?? MySQL ???????
# du -chs /u01/app/oracle/mysql/data/ovs/OVM_STATISTIC*
 16K   /u01/app/oracle/mysql/data/ovs/OVM_STATISTIC.frm
121G   /u01/app/oracle/mysql/data/ovs/OVM_STATISTIC.ibd <===

```

Solution:

1. ????????????? MySQL ??????
2. ?? ovmm ??????????????
3. ????? OVM_STATISTIC ????

?? ovmm

```
service ovmm stop
```

????? OVM_STATISTIC ???

```

mysql -u ovs -p -S /u01/app/oracle/mysql/data/mysql.sock ovs
Enter password: <[ ] [ ] [ ] [ ]>
mysql> select count(*) from OVM_STATISTIC;
+-----+

```

```
| count(*) |  
+-----+  
| 184795278 |  
+-----+  
1 row in set (6 min 35.98 sec)
```

????? OVM_STATISTIC

```
mysql> truncate table OVM_STATISTIC;
```

TIP: truncate ??????? drop ? create????? 1 ??????????????????

???????? truncate

```
mysql> create table NEW_OVM_STATISTIC like OVM_STATISTIC;  
mysql> rename table OVM_STATISTIC to OLD_OVM_STATISTIC, NEW_OVM_STATISTIC to OVM_STATISTIC;  
mysql> drop table OLD_OVM_STATISTIC;
```

VM ???????? Kill ???

“ VM ?????? Stopping??? Kill ????????

tpeoddovm-db01 <1108> is locked. job info: job id(time):1525839275699
name:Stop VM: tpeoddovm-db01 description:Stop VM: tpeoddovm-db01

Solution: ????? VM ??? OVS ????? ovs-agent ??

```
service ovs-agent stop  
service ovs-agent start
```

???? Server Pool

“ ??? OVS ? OVM Manager ???????????? LUNs ?? Server Pool ?
Repository?

Solution: SSH ?? OVS ????? LUNs ???

```
# [[ LUN [[
```

```
multipath -ll
```

```
dd if=/dev/zero of=/dev/mapper/360a980004434375a385d4747374b5155 bs=1M count=256
```

[OVM 3.3.x] ??????????????

“ Unexpected error during login (java.lang.NullPointerException)

Solution: ???

- ?? ovmm ??
- ?? OVMM ??

???? VM

“ Server Pool ? Master Server ?????????????? VM ??(Migrate) ???? OVS
???? VM ??????

Caught during invoke method:
com.oracle.ovm.mgr.api.exception.IllegalOperationException....

Solution: ??? VM ?????????? Event Serverity ??? Critical ??? Informational???????

1. ??????????
2. ?????????????????? Repositories Storage ??
3. ? VM ?????????(Migrate) ??????
4. OVMM > Servers and VMs > ?????OVS?? > ?????? VM > ??? Display Events
??? Critical Event ?? Acknowledge?????? VM ? Event Serverity ??????????
Informational?
5. ?? VM ??

Repositories ????? Error ??

“ ?????????????????? Storage ??????????????????Error ?? ???????

Solution:

???????????? Acknowledge????

[OVM 3.3.x]??? Clustered Server Pool ??? Oracle VM Server(OVS)

“ ??? OVS ????????????????? Clustered Server Pool ???????????

OVMRU_000036E Cannot remove server: tycoddovs01.winfoundry.com, from pool: oddfdc_db. There are still OCFS2 file systems

???? Clustered Server Pool ??????? OVS ???????????

- ??? OVS ??? Master Server?
- ?????(un-present) ??? OVS ??????? Storage Repositories?

???? OVS ? Server Pool ????????????????????? Server Pool ???

1. SSH ??? OVS ???????????

```
service ovs-agent stop
rm -rf /etc/ovs-agent/db
cat /dev/null > /etc/ocfs2/cluster.conf
service ovs-agent start
```

2. ?? OVMM ????????????????? OVS ??? Unassigned Servers ??

TIPs?

- ?? OVS ?? Unassigned ????????????????? Server Pool (?????? Internal Error)?????? OVMM ??????? OVS ? OVMM ?????????????????
- ?? Unassigned ?? OVS ????????????????????????????? OVS ??? Discover Servers???????????????? OVS ????? NOTE??? Discover Servers ??????????? Unknown Server Pool.....????????????????????

???? VM ???????????

“ ?? VM template ??? VM ?????????????????????????????

1. ?? OVMM ? VM ? System ????

OVMM > Servers and VMs > ?? VM > ?? VM > Disks > ?? Slot 0 ???

- Virtual Disk Name?system (x) <?????>
- Size (GB)?12 -> 50GB
- Shareable???

2. ?? VM ?????????

?? SWAP ???

```
> free -m  
[ ] 2048M
```

?? SWAP

```
> swapoff /dev/xvda3
```

????

```
> fdisk /dev/xvda
```

1. ?? xvda3 & xvda2 ??
2. ?? xvda2 (+48G) & xvda3 (????)
3. ?????

```
# [ ] VM  
reboot  
  
# [ ] SWAP  
mkswap /dev/xvda3  
swapon /dev/xvda3  
  
# Resize [ ]  
resize2fs /dev/xvda2
```

???? Oracle VM ????

- ? OVMM ?? Discover Servers ???? OVM ??? Unowned ???OVMM ??????????
- ??????? OVM ?? Owned by Another.... ?????????????? OVM ?
OVMM??????OVM???????????????? OVMM ???

- ?? OVMM ?????? OVM ?????????????? server pool???????????????????? take ownership ???

????????

“ ?????? OVMM ??? NTP Server????? OVS ??? VM ??? OVMM ?????

OVMM ?? NTP)

1. ??????: ?? /etc/sysconfig/clock ??? setup?

2. ?? ntp.conf:

```
## [ ] OVS [ ]
# Hosts on local network are less restricted.
restrict 192.168.7.0 mask 255.255.255.0 nomodify notrap

# [ ]
#server 127.127.1.0    # local clock
#fudge 127.127.1.0 stratum 10

# [ ] NTP [ ]
server 0.rhel.pool.ntp.org
server 1.rhel.pool.ntp.org
server 2.rhel.pool.ntp.org
```

3. ?? ntpd ??

OVS ?? NTP)

OVMM 3.3.x ????? OVS ?????????? VM Manager ?????? OVS ?????????? OVS ? ntp.conf?

VM ?? NTP)

VM(guest OS) ????? OEL template??? Linux kernel ? UEK based?? VM ?????????? OVS
 ????????????????????????????????? OVS ?????????? VM ?????????????????? NTPD ? ntpdate
 ??????

?? /etc/ntp.conf

```
# [ ] [ ] [ ] [ ]
```

```
#server 127.127.1.0    # local clock
```

```
#fudge 127.127.1.0 stratum 10
```

```
# [ ] [ ] [ ] [ ] [ ] [ ]
```

```
# OVM Manager
```

```
server 10.23.0.203
```

?? ntpd ??

Oracle VM Server for x86

Document

- [Oracle VM Overview](#)
- [Oracle VM: Support Matrix of Oracle VM Manager and Server](#)

Oracle Linux KVM

Tutorials

- [Virtualization | Oracle](#)
- [Document: Oracle Linux Virtualization Manager](#)
- [Document: KVM User's Guide](#)
- [Hardware Certification List](#)
- [Oracle Linux Virtualization Manager · Oracle Linux Training Station \(oracle-samples.github.io\)](#)
- Forum: <https://forums.oracle.com/ords/apexds/domain/dev-community/category/infrastructure-software>

Proxmox

[Proxmox](#) VE????Proxmox Virtual

Environment?????PVE?Proxmox????????????????Linux????

Tutorials

- [Getting Started With Proxmox Backup Server - OSTechNix](#)
- [Proxmox Docker Containers Monster - 13000 containers on a single host - Virtualization Howto](#)
- [Getting Started With Proxmox \(linuxhandbook.com\)](#)
- [Proxmox Install Beginners Guide - Virtualization Howto](#)

XCP-ng

Based on XenServer, [XCP-ng](#) is the result of massive cooperation between individuals and companies, to deliver a product without limits. No restrictions on features and every bit available on GitHub!

Tutorials

- [How To Install Xen Orchestra Appliance \(XOA\) In XCP-ng Server](#)

VMware

[illegible]

Import Virtualbox ova Image

Export from Virtualbox

?? VM ??? *.ova image

- ??? OVF1.0?(???)
- ???????(?:??? vmware ??????????????????)

Import to vSphere 6 Server

1. ?? VMware-ovftool: <https://www.dropbox.com/s/k925gfb2zn4ffgw/ovftool.zip?dl=0>
2. ? *.ova ??? OVF ??(????????? *.ovf, *.mf, *.vmdk)
3. ? vSphere Web ?? Deploy OVF Template????????????? *.ovf ? *.vmdk
4. ?? vCenter ?????????????? ESXi ???

OVFTool ??

```
"C:\Program Files\VMware\VMware OVF Tool\ovftool.exe" --lax source.ova target.ovf
```

Deploy OVF template

vSphere ESXi Web)

[deploy_ovf-esxi.png](#)
deploy_ovf-esxi.png

vCenter Web)

[deploy_ovf-vcenter.png](#)
deploy_ovf-vcenter.png

F.A.Q

Error: No supported hardware versions

Issues detected with selected template. Details: - -1 : -1:VALUE_ILLEGAL: No supported hardware versions among [virtualbox-2.2]; supported: [vmx-04, vmx-07, vmx-08, vmx-09, vmx-10, vmx-11, vmx-12, vmx-13].

??:

?? *.ovf ???????

```
<System>
  <vssd:ElementName>Virtual Hardware Family</vssd:ElementName>
  <vssd:InstanceID>0</vssd:InstanceID>
  <vssd:VirtualSystemIdentifier>graylog#95</vssd:VirtualSystemIdentifier>
  <vssd:VirtualSystemType>virtualbox-2.2</vssd:VirtualSystemType>
</System>
```

?? VirtualSystemType ? virtualbox-2.2 ?? vmx-07 ????????????

Error: No space left for device '7' on parent controller '5'.

“ Line 85: No space left for device '7' on parent controller '5'.
Line 66: Unsupported virtual hardware device 'AHCI'.

Solution: ??????? vmx-?? ???

Error: The checksum(s) from the provided manifest file do not match

“ The checksum(s) from the provided manifest file do not match the content of file(s): zabbix5.ovf.

Solution: ????? *.ovf ?????????? *.mf?

Error: Value “PIIX4” of ResourceSubType element not found in [#]

“ 48:7:VALUE_ILLEGAL: Value “PIIX4” of ResourceSubType element not found in [].
57:7:VALUE_ILLEGAL: Value “PIIX4” of ResourceSubType element not

found in [].

85:7:VALUE_ILLEGAL: Value "5" of Parent element does not refer to a ref of type DiskControllerReference.

75:7:VALUE_ILLEGAL: Value "4" of Parent element does not refer to a ref of type DiskControllerReference.

Solution: vCenter ESX Host Web

vmx

	ESX version
vmx-07	ESX 4.0
vmx-10	ESX 5.5
vmx-13	ESX 6.5

Reference

- [Deploy a Virtual Machine from an OVF or OVA File in the VMware Host Client](#)
- [Migrate virtual machine from Oracle VirtualBox to Esxi 5.5](#)
- [VM VirtualBox VMware ESXi](#)

VMware

ESXi Bug Fix & Upgrade

????? ESX ????

? SSH ??

? SSH Client ?? vSphere ????????????

“ NOTE: vSphere ???????????? SSH ???

????/???????

????????/??? `esxi6.5uX-mgmt-bundle-3.4.5-8.zip` ??? vSphere ?????? datastore?

- ?????? Bug??? *-bundle-*.zip
- ?????ESXi ???????? *-depot.zip

“ NOTE:

- ??? vSphere ?????????????/????????????????
- zip ??????????
- ?? ESX ?????????? *.iso ???

??????????

vSphere ????

```
[root@tpeitpesx-a02:~] esxcli system version get
```

```
Product: VMware ESXi
```

```
Version: 6.5.0
```

```
Build: Releasebuild-10719125
```

```
Update: 2
```

```
Patch: 67
```

vSphere ????

```
[root@tpeitpesx-a02:~] esxcli software profile get
(Updated) HPE-ESXi-6.5.0-Update1-iso-650.U1.10.1.3.3
Name: (Updated) HPE-ESXi-6.5.0-Update1-iso-650.U1.10.1.3.3
Vendor: Hewlett Packard Enterprise
Creation Time: 2019-06-14T03:16:25
Modification Time: 2019-06-14T03:16:35
Stateless Ready: True
Description:
```

2019-06-14T03:16:25.647136+00:00: The following VIBs are installed:

```
ilo 650.10.3.0.2-1OEM.650.0.0.4240417
nmlx4-rdma 3.16.11.6-1OEM.650.0.0.4598673
scsi-iscsi-linux-92 1.0.0.2-3vmw.650.0.0.4564106
sata-sata-sil 2.3-4vmw.650.0.0.4564106
shim-libata-9-2-2-0 6.5.0-0.0.4564106
```

...

...

HPE Custom Image Profile for ESXi 6.5.0 ISO

VIBs: amsd 650.11.4.0-18.4240417, ata-libata-92 3.00.9.2-16vmw.650.0.0.4564106, ...

“ TIP:

- ????? ISO ??????????????????
- ?????????? profile ??????????????

????/??????

????: /vmfs/volumes/{your-datastore-name}/{path-to-the-file}

```
[root@tpeitpesx-a02:~] esxcli software sources vib list -d /vmfs/volumes/LocalDisk/Patches/esxi6.5uX-mgmt-bundle-3.4.
```

5-8.zip

Name	Version	Vendor	Creation Date	Acceptance Level	Status
amsd	650.11.4.5-18.4240417	HPE	2019-07-19	PartnerSupported	Update
fc-enablement	650.3.4.0.10-4240417	HPE	2019-03-12	PartnerSupported	Installed

cru	650.6.5.10.4-1OEM.650.0.0.4240417	HPE	2018-04-04	PartnerSupported	Installed
ilo	650.10.3.0.2-1OEM.650.0.0.4240417	HPE	2018-03-29	PartnerSupported	Installed
smx-provider	650.03.15.00.4-4240417	HPE	2018-08-29	VMwareAccepted	Installed

“ TIP: ????????**????*?? amsd ??? bug
 ?????

Before: **amsd 650.11.4.0-18.4240417**

After: **amsd 650.11.4.5-18.4240417**

????/???

1. ???????????? VMs
2. ????? Maintenance Mode
3. ?????/???
4. ????
5. ????? Maintenance Mode
6. ??? VMs

??/? **Maintenance Mode** (???? GUI ??)

□

vim-cmd hostsvc/maintenance_mode_enter

□

vim-cmd hostsvc/maintenance_mode_exit

????/???

“ ??? update?? install

?? [“esxcli software vib”
 commands to patch an ESXi 6.x/7.x host \(2008939\) \(vmware.com\)](#)

- install : ?????/????
- update : ?????
- -d : .zip ?
- -v : .vib ?

```
esxcli software vib update --dry-run -d "/vmfs/volumes/LocalDisk/Patches/esxi6.5uX-mgmt-bundle-3.4.5-8.zip"
esxcli software vib update -d "/vmfs/volumes/LocalDisk/Patches/esxi6.5uX-mgmt-bundle-3.4.5-8.zip"
```

```
esxcli software vib install --dry-run -d "/vmfs/volumes/LocalDisk/Patches/ESXi670U3-18828794-HPE-Gen9plus-depot.zip"
```

```
esxcli software vib install -d "/vmfs/volumes/LocalDisk/Patches/ESXi670U3-18828794-HPE-Gen9plus-depot.zip"
```

??????

?? ???????

```
esxcli software vib list | grep amsd
```

ESXi Commands

Check whether the /tmp directory is full

```
vdf | grep tmp
```

System Module

```
esxcli system module list
esxcli system module set --enabled=false --module=<module-name>
esxcli system module set --enabled=true --module=<module-name>
```

???? vmx

```
“ ?? OVF ?? VM ?????????????????????? vmx ????????????
```

```
sound.autoDetect = "TRUE"
sound.virtualDev = "hdaudio"
sound.fileName = "-1"
sound.present = "TRUE"
sound.pciSlotNumber = "35"
```

???? vmx ???????????????? VM

```
# Find the Vmid for the affected VM
vim-cmd vmsvc/getallvms

# Reload configuration for the VM
vim-cmd vmsvc/reload <Vmid-of-VM>
```

Network

```
[root@tpeitpexb95:~] esxcli network ip interface list
vmk0
Name: vmk0
```


MAC Address: 80:30:e0:3b:a0:c4
Enabled: true
Portset: vSwitch0
Portgroup: Management Network
Netstack Instance: defaultTcpipStack
VDS Name: N/A
VDS UUID: N/A
VDS Port: N/A
VDS Connection: -1
Opaque Network ID: N/A
Opaque Network Type: N/A
External ID: N/A
MTU: 1500
TSO MSS: 65535
RXDispQueue Size: 1
Port ID: 33554442

vmk1

Name: vmk1
MAC Address: 00:50:56:6b:5c:ed
Enabled: true
Portset: vSwitch1
Portgroup: FT1
Netstack Instance: defaultTcpipStack
VDS Name: N/A
VDS UUID: N/A
VDS Port: N/A
VDS Connection: -1
Opaque Network ID: N/A
Opaque Network Type: N/A
External ID: N/A
MTU: 1500
TSO MSS: 65535
RXDispQueue Size: 1
Port ID: 50331654

vmk2

Name: vmk2
MAC Address: 00:50:56:62:26:d7
Enabled: true

Portset: vSwitch1
Portgroup: FT2
Netstack Instance: defaultTcpipStack
VDS Name: N/A
VDS UUID: N/A
VDS Port: N/A
VDS Connection: -1
Opaque Network ID: N/A
Opaque Network Type: N/A
External ID: N/A
MTU: 1500
TSO MSS: 65535
RXDispQueue Size: 1
Port ID: 50331655

[root@tpeitpexb95:~] esxcli network ip interface ipv4 get

Name	IPv4 Address	IPv4 Netmask	IPv4 Broadcast	Address Type	Gateway	DHCP	DNS
-----	-----	-----	-----	-----	-----	-----	-----
vmk0	10.14.1.95	255.255.248.0	10.14.7.255	STATIC	10.14.0.254	false	
vmk1	192.168.101.7	255.255.255.0	192.168.101.255	STATIC	0.0.0.0	false	
vmk2	192.168.103.7	255.255.255.0	192.168.103.255	STATIC	0.0.0.0	false	

[root@tpeitpexb95:~] esxcli network ip route ipv4 list

Network	Netmask	Gateway	Interface	Source
-----	-----	-----	-----	-----
default	0.0.0.0	10.14.0.254	vmk0	MANUAL
10.14.0.0	255.255.248.0	0.0.0.0	vmk0	MANUAL
192.168.101.0	255.255.255.0	0.0.0.0	vmk1	MANUAL
192.168.103.0	255.255.255.0	0.0.0.0	vmk2	MANUAL

VMware

vCenter Patch

????

- [VMware vCenter Server 6.7 Update 3n Release Notes](#)
- [Product Patches - VMware Customer Connect](#)

????

1. ?? Patch file: `VMware-vCenter-Server-Appliance-6.7.0.48000-18010531-patch-FP.iso`
2. ?? *.iso ? vCenter VM ???????? datastore ? (*Recommend: ???? Patches ??*)
3. ?? vCenter VM ????? ESXi Host
4. ?? ESXi Web Admin (*NOTE: ???? vCenter Web*)
5. ? vCenter VM ??
6. ? vCenter VM ????????
7. ????? vCenter VM
8. ?? vCenter VM ?????? patch ? iso ?
9. ???????? SSH ?? vCenter VM
10. ??????? Patch ??
11. ?? vCenter VM ???

Patch Commands

```
# To stage the ISO:
software-packages stage --iso

# To see the staged content:
software-packages list --staged

#To install the staged rpms:
software-packages install --staged
```

VMware

vCenter ??

?? root ??

?????? ESXi ??? VMware Host Client???????????? VMware Remote Console ????? vCenter Server Appliance ? Console ??????PHOTON????????????e????????????

??GNU GRUB???????????? `rw init=/bin/bash` ??????????F10????????????

?????? root ?????????????? `mount -o remount,rw /` ?????????????????????

???? `passwd` ??????? root ??????

????????????? `umount /` ?????????????????? `reboot -f` ?????????? vCenter Server Appliance?

root ??????

[?????????????????](#)

vCenter Backup & Restore

????????? VM snapshot????????????????????

????????? VMware Appliance Management Interface (`https://<FQDN-of-VCSA>:5480/`)?

????????????????

- FTP(s)
- NFS
- SFTP
- SMB
- HTTPS

??????????

1. ????????? VCSA ISO ????
2. ????????????????????? Windows ??? (VM ?????)????????? vCenter ?? (VCSA) ???????
3. Windows ?????? VCSA ISO ????? `vcsa-ui-install/win32/installer.exe` ?????/?????

?????

- [vCenter Server Appliance 6.7 File-Based Backup and Restore Walkthroughs - VMware vSphere Blog](#)
- [New vCenter Server Appliance File-Based Backup / Restore Walkthroughs - VMware vSphere Blog](#)

VMware

vCenter Converter

??

VMware vCenter Converter Standalone

Home: <https://www.vmware.com/products/converter.html>

??

?: Error 1053

“ Error 1053: The service did not respond to the start or control request in a timely fashion .

????? KB: <https://kb.vmware.com/s/article/64993>

1. Click the **Start** button, then click **Run**, type **regedit**, and click **OK**.
2. In the **Registry Editor**, click the registry subkey
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control.
3. In the details pane, locate the **ServicesPipeTimeout** entry, right-click that entry and then select **Modify**.
Note: If the **ServicesPipeTimeout** entry does not exist, you must create it by selecting **New** on the **Edit** menu, followed by the **DWORD Value**, then typing **ServicesPipeTimeout**, and clicking **Enter**.
4. Click **Decimal**, enter the new timeout value in milliseconds, and then click **OK**. (Modify the value to a larger one. Here is no recommended value, adjust this value accordingly.)
5. Restart the computer.
6. Manual start vCenter Converter Agent/Server/Worker service in Windows Service Manager. If the service is still failed to start with Windows event 7009, increase the "ServicesPipeTimeout" value.

XenServer (Citrix Hypervisor)

URLs

- [Product Documentation](#)
- [Produce Lifecycle](#)
- [Hardware Compatibility List](#)
- [XenCenter](#)

VirtualBox

Oracle

VirtualBox????InnoTek????????????????????????????????????xVM????????????????????
?32???64???Windows?Solaris?Linux ??????????x86??????

?????<https://www.virtualbox.org/>

VirtualBox

Tips

????

- [How to Increase Disk Size of Your Existing Virtual Machines in VirtualBox](#)

Command Line

Tutorials

- [Controlling VirtualBox from the Command Line](#)

Basic Commands

```
vboxmanage list vms  
vboxmanage list -l vms
```

Create VM

```
VBoxManage list ostypes  
VBoxManage createvm --name OracleLinux6Test --ostype Oracle_64 --register
```

Setting UP a VM's Properties

```
VBoxManage showvminfo <vm-name>  
VBoxManage modifyvm <vm-name> --cpus 2 --memory 2048 --vram 12  
VBoxManage modifyvm <vm-name> --nic1 bridged --bridgeadapter1 eth0
```

Export Appliance

```
vboxmanage list vms  
vboxmanage export UBUNTUSERVER164 -o ubuntu_server_new.ova
```

KVM/QEMU

??

QEMU?Fabrice Bellard????????????????x86?ARM?SPARC?RISC-V?MIPS????????

Home: [QEMU](#)

Installation

- [Ubuntu??QEMU/KVM?Virt Manager?????? - Ivon???? \(ivonblog.com\)](#)
- [How to Install and Use Qemu on Ubuntu \(itsfoss.com\)](#)
- [EmuGUI ? QEMU?Windows???????? - Ivon???? \(ivonblog.com\)](#)
- [Setting Up Virtual Machines with QEMU, KVM, and Virt-Manager on Debian/Ubuntu - LinuxConfig](#)
- [How to run virtual machines with virt-manager - Fedora Magazine](#)
- [How to Install KVM on Fedora 37/36 Step-by-Step](#)
- [Virtualization Deployment and Administration Guide | Red Hat Product Documentation](#)

Fedora

QEMU

```
sudo dnf update
sudo dnf install qemu
```

From QEMU's source files

```
# Install prerequisite rpms to build the source code
sudo dnf install pixman-devel gcc make git python38

# Download source code
wget https://download.qemu.org/qemu-9.1.0.tar.xz
tar xvjf qemu-9.1.0.tar.xz
cd qemu-9.1.0
```

```
mkdir build
cd build
../configure --target-list='ppc64-softmmu ppc-softmmu' --prefix=/opt/qemu
make
sudo make install
/opt/qemu/bin/qemu-system-ppc64 --version
```

💡 If you don't mention the `--target-list='ppc64-softmmu ppc-softmmu'`, it will build more than 50 machines emulator, and will take a longer time to compile. For more info, type `../configure -h`

KVM/QEMU/Virt-Manager

```
sudo dnf install -y qemu-kvm libvirt virt-install bridge-utils qemu virt-manager \
libvirt-devel virt-top libguestfs-tools guestfs-tools libvirt-client libvirt-python

sudo systemctl start libvirtd
sudo systemctl enable libvirtd

sudo usermod -a -G libvirt $(whoami)
sudo usermod -a -G kvm $(whoami)
sudo usermod -a -G input $(whoami)
```

RedHat

```
# RHEL 7
yum install qemu-kvm libvirt
yum install virt-install libvirt-python virt-manager virt-install libvirt-client

# RHEL 8
yum module install virt
yum install virt-install virt-viewer
systemctl start libvirtd

## Verification
virt-host-validate
```

Ubuntu 22.04

```
sudo apt-get install git libglib2.0-dev libfdt-dev libpixman-1-dev zlib1g-dev ninja-build
sudo apt-get install libnfs-dev libiscsi-dev python3-tomli

# Download source code
wget https://download.qemu.org/qemu-9.1.0.tar.xz
tar xvjf qemu-9.1.0.tar.xz
cd qemu-9.1.0
mkdir build
cd build
../configure --target-list='ppc64-softmmu ppc-softmmu' --prefix=/opt/qemu
make
sudo make install
/opt/qemu/bin/qemu-system-ppc64 --version
```

Command Line

- [How To Use QEMU From the Linux Command-Line | Baeldung on Linux](#)
- [A Comprehensive Guide to Using QEMU from the Linux Command-Line — nixFAQ](#)
- [Chapter 20. Managing Guest Virtual Machines with virsh | Red Hat Product Documentation](#)

virsh

Guest CPU Models

```
# For x86
virsh cpu-models x86_64

# For PowerPC
virsh cpu-models ppc64
```

List the VMs

```
sudo virsh list --all
```

FAQ

Operation not permitted

```
qemu-system-ppc64: -net nic -net tap,script=no,ifname=tap0: could not
configure /dev/net/tun (tap): Operation not permitted
```

Solution:

```
sudo setcap CAP_NET_ADMIN=ep /usr/bin/qemu-system-ppc64
```

Install Error

```
Running postconf script '/home/alang/??/worktmp/qemu-
9.1.0/build/pyvenv/bin/python3 /home/alang/??/worktmp/qemu-
9.1.0/scripts/symlink-install-tree.py'
Traceback (most recent call last):
  File "/home/alang/??/worktmp/qemu-9.1.0/scripts/symlink-install-tree.py",
line 17, in <module>
    out = subprocess.run(['introspect.split(' '), '--installed'],
  File "/usr/lib/python3.10/subprocess.py", line 503, in run
    with Popen(*popenargs, **kwargs) as process:
  File "/usr/lib/python3.10/subprocess.py", line 971, in __init__
    self._execute_child(args, executable, preexec_fn, close_fds,
  File "/usr/lib/python3.10/subprocess.py", line 1863, in _execute_child
    raise child_exception_type(errno_num, err_msg, err_filename)
FileNotFoundError: [Errno 2] No such file or directory:
"/home/alang/??/worktmp/qemu-9.1.0/build/pyvenv/bin/meson"
```

Fix bug: edit `symlink-install-tree.py`

```
import shlex
```

```
out = subprocess.run(['shlex.split(introspect), '--installed'],
```

